

The Multidisciplinary Team Framework

for Addressing Child Sexual Abuse, Exploitation
and Trafficking




Table of Contents

Introduction to the framework	3
i. General introduction.....	3
ii. 1-Stop Services Model.....	4
iii. Successful MDT collaboration	5
iv. Structure of the Template for a MDT Protocol.....	10
v. Methodology of the Framework.....	10
Framework template	11
i. Foundations of the MDT Protocol.....	12
ii. Definitions of Common Terms	18
iii. The Child-Centred, Rights-Based and Culturally Responsive Approach to Interacting with Children and Families.....	22
iv. Speaking with Children of Varying Age and Developmental Status.....	28
v. Roles and Responsibilities of MDT Members.....	33
vi. Forensic Interview and Forensic Evaluation	46
vii. Procedures for Responding to THB/CSA/CSE.....	48
viii. Prevention of THB/CSA/CSE.....	53
ix. Monitoring and Evaluation of the MDT.....	55
x. Secondary Traumatic Stress Among Professionals.....	56
xi. Dissemination and Maintenance of Protocol.....	58
Appendices	60
Appendix A: Sample Memorandum of Understanding (MOU).....	60
Appendix B: Potential Signs and Indicators of THB/CSA/CSE.....	63
Appendix C: Links to Important Resources.....	66
Appendix D: International and Regional Framework on THB/CSA/CSE.....	68
Appendix E: Additional Ethical Issues Related to THB/CSA/CSE.....	70
Appendix F: Evidence Base for Multidisciplinary Collaboration in Child Protection.....	72
Appendix G: Template for Directory of Community Resources.....	74
References	79



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 101021801.

The content published herein is the sole responsibility of the publishers and it does not necessarily represent the views expressed by the European Commission or its services.



Introduction

THB/CSA/CSE are major global public health problems. As per the International Labour Organisation (ILO), approximately 1.7 million children were involved in commercial sexual exploitation on any given day in 2021.³ In a global systematic review and meta-analysis of child sexual abuse, CSA prevalence estimates ranged from 8 to 31 % for girls and 3 to 17 % for boys.⁴ Individuals subjected to THB/CSA/CSE may experience a plethora of emotional, behavioural and physical adverse consequences. Impacts include increased risk for post-traumatic stress disorder, major depression, anxiety disorders, sexually transmitted infections and other sexual health and reproductive problems, HIV/AIDS, physical injury, and early pregnancy.⁵⁻⁸

Beyond health and mental health care, children experiencing THB/CSA/CSE often have myriad other needs including housing (if the current home is not safe for the child, there is severe stigma in the community, or the child/family have no home); education; job skills training; immigration relief, interpretation services, crisis intervention and financial resources. For many children and families, healing and recovery occurs alongside criminal investigations and prosecutions. The sheer number of stakeholders involved in providing services and pursuing criminal justice may be overwhelming to affected children and their caregivers, and this may lead to their confusion, distress, and distrust of authorities, as well as to very limited access to appropriate services. In many areas of the world, child-serving professionals and their organisations work in relative isolation in response to THB/CSA/CSE.⁹ Information is not shared; resources are not organised; service efforts are not coordinated, and the family must assume responsibility for orchestrating their own healing. As a result, social, psychosocial, health and legal outcomes suffer.

To promote child and family healing, minimise re-traumatisation and optimise criminal justice efforts in response to THB/CSA/CSE, many countries and regions have developed strategies to facilitate cross-agency, multidisciplinary collaboration among the professionals engaged in prevention, identification, protection, service provision, investigation, criminal prosecution and legal redress.¹⁰⁻¹⁶ Utilising the varied expertise and resources of multidisciplinary professionals ensures input from multiple perspectives regarding a case and facilitates better-informed decisions. Strategies may take the form of national referral mechanisms (NRMs) or transnational referral mechanisms (TRMs) to address THB, or state/regional/local child protection multidisciplinary teams that tend to focus on child sexual abuse. In the framework outlined in this document, these strategies will be referred to as 'multidisciplinary teams' (MDTs), regardless of whether they define discrete 'teams' of professionals or simply emphasise collaborative activities between staff of relevant agencies/organisations. There is no prototype for optimal MDT collaboration and a variety of models have been developed across the globe,¹¹ including but not limited to Thuthuzela Centres in South Africa,¹⁷ One-Stop Centres in India, Malawi, and many low- and middle-resource countries,¹⁸⁻²⁰ integrated service centres within hospitals,^{11,21} a Multiagency Investigation and Support Team (MIST) in Australia,²² Barnahaus centres in Europe,²³ child advocacy centres in the United States,²⁴ and child and youth advocacy centres in Canada. Most countries have formal or informal NRMs for suspected THB and some have TRMs, which standardise the process for interagency collaboration on the response to THB within and across borders, respectively.^{15,25,26} Within these categories of MDT organisation there is additional variation,^{11,27} often regarding the number and type of partners involved, services offered and overall goals of the team. A relatively large MDT typically involves a private/public partnership between government agencies, NGOs, INGOs and other private institutions who serve children experiencing or at risk for THB/CSA/CSE.

MDTs may function at a community, regional, national or even international level covering one or more counties/parishes/jurisdictions/states/provinces/countries. Their composition varies according to community needs and resources but generally includes professionals from organisations/agencies involved in preventing, identifying, assessing, investigating and prosecuting cases of suspected/confirmed THB/CSA/CSE, and in serving impacted children and their families.^{24,27} Typically these include the agencies/stakeholders listed below (See Section I, “MDT Composition”). Teams may also seek membership from organisations that serve children at particular risk for THB/CSA/CSE, such as asylum/refugee assistance centres, NGOs serving street-based children, organisations serving LGBTQ+ youth, organisations providing legal immigration assistance, and organisations serving marginalised ethnic, racial or religious groups.²⁴ For MDTs that focus primarily on systemic issues related to the response to THB/CSA/CSE, it is important to include adults with lived experience of childhood exploitation and abuse, and caregivers of victimised children, as these perspectives are critical in developing policy, programs and systems change.²⁸

Some MDT models involve actual physical co-location of MDT members, including representatives from the government agency providing child protective services, and law enforcement.²² Some have a specific location where children and families are brought to meet with multiple MDT members for combined services (e.g., a Chikwanekwane).^{18,21,29} Still others have no specific building that hosts collaborative services and no co-location of MDT members. For example, MDTs may involve a network of representatives from varied organisations and agencies, that simply communicate online, by phone or with regular in-person meetings, to discuss individual cases of THB/CSA/CSE, or to discuss broad, systemic issues related to MDT collaboration. These may involve groups of professionals within a given city or county, or within a province, country or groups of countries.³⁰ The nature of the MDT model in any given community must be consistent with cultural, geographic, social, and economic factors in the region, as well as the needs of the population served.

One-Stop Service Model^{20,22,24,27,29}

In some jurisdictions, the MDT will provide multiple services and engage in collaborative practices at a specific location, such as a One Stop Centre. This strategy is aimed at increasing MDT communication, facilitating a team approach, and simplifying the referral process so that children/families are more likely to receive needed services.²⁷ There is significant variation among centres such as the nature of services provided, whether there is actual co-location of agency representatives at the site of the centre, and whether key roles such as the forensic interviewer or child advocate are filled by members of staff belonging to the centre, or by representatives from other MDT agencies (e.g. law enforcement).²⁷ To date, evidence is limited in determining which characteristics of one-stop-centres are most important in improving outcomes for children.²⁷

Important considerations for the centre include, but are not limited to, the following:

- Ensure a child-friendly and safe environment suitable for all ages, for children of all genders and sexual orientations including lesbian/gay/bisexual/transgender/queer/questioning/other (LGBTQ+) youth, for clients from varied cultures and for children with disabilities. Input from those with lived experience may be very useful when designing the centre. (NOTE: Existing laws may limit efforts to optimally serve children identifying as LGBTQ+, although respect for their basic human rights as outlined in the UN Convention on the Rights of the Child must remain the highest priority.)²
- Ensure that the site of services is not associated with social stigma
- Install ramps, lifts and other aids to ensure access for children, caregivers and MDT members with mobility challenges and other forms of disability.
- Implement child safeguarding policies, including strategies to monitor adherence and address issues

that may arise

- Establish the location near public transportation or arrange transportation assistance for families
- Ensure privacy and confidentiality through effective policies and procedures and by making necessary alterations in the physical environment. This may include establishing non-disclosure agreements with the staff, implementing a policy of keeping the child/family separated from a suspected perpetrator, and installing sound-proofing materials in the interview rooms.
- Ensure adequate safety measures are in place to manage stressful situations and or emergencies; ensure staff are trained in these procedures and aware of safety measures
- Provide adequate space and equipment for team meetings, forensic interviews (FI), team observation of FIs, etc.
- Establish a safe, secure system for storing client data
- Establish policies and procedures that allow video recording of FIs, as permitted by law. Policies should include provisions for appropriate access to, and safe storage of recordings so as to ensure confidentiality and privacy. It should outline steps to be taken to ensure children and caregivers are aware of the recording and provide informed consent/assent.
- Address information-sharing restrictions and codify system of sharing client information among MDT members as appropriate, consistent with existing laws and policies (e.g., establish policy/guidelines or advocate for legislation allowing information-sharing; establish a clear plan for obtaining informed consent and release-of-information from guardians; address the issue in MDT member MOUs or other similar but binding agreements) (see Appendix A).
- Build and maintain an efficient case-tracking system
- Ensure staff are trained in trauma-informed, rights-based, culturally sensitive, child-centred care
- Provide client/family information materials on THB/CSA/CSE in appropriate languages and have professional interpreters available during visits

Successful multidisciplinary collaboration entails:^{9,11,19,20,24,25,29,31-41}

Leadership and General Structure:

- An MDT addressing THB/CSA/CSE cannot be effective without demonstrated commitment from top-level leaders of organisations participating in the collaboration. It is important for these leaders to fully understand and to support the provisions of the MDT, including:
 - providing experienced staff who can fulfil the roles and responsibilities required by the team,
 - committing to support MDT goals,
 - guaranteeing staff are allowed time to carry out MDT activities during work hours
 - providing critical resources including necessary technology and financial support.
 - A memorandum of understanding (MOU) is helpful in facilitating consensus and commitment among partners. While cultural, social, and legal factors will influence the content of the MOU and structure of the MDT, the elements contained in the sample MOU included in this framework are relevant in many contexts (see Appendix A).
- Leaders should ensure that agency/organisation standard operating procedures include a statement that at least one staff member participate in the MDT and all staff members receive training on the MDT and on THB/CSA/CSE
- Formal recognition of the MDT by state/province/national government with appropriate infrastructure in place, and accompanying MDT funding included in the government budget, along with provisions that authorise interagency collaboration and information sharing
- Strong leadership within the MDT, itself in the form of a steering committee (comprised of decision-makers) and MDT coordinator (neutral party)

- Broad professional representation on the MDT
- Representation on the MDT that reflects the population served (e.g., cultural inclusion)
- Engagement in serious preplanning for MDT development. This may include hosting a roundtable of agency/organisation leaders to discuss the merits and challenges associated with the multidisciplinary process and begin planning the MDT developmental process

Standardised policies and procedures in the form of a protocol that:

- Is supported by a memorandum of understanding (MOU) signed by leaders of organisations and agencies participating in the MDT (see Appendix A)
- Clearly defines the goals and objectives of the MDT (e.g., focus mainly on investigation/prosecution vs. provision of child services vs. focus on both). Ideally, the MDT prioritises both child/family services, which are virtually always needed, and criminal investigation/prosecution, which is pursued in some but not all cases.
- Clearly establishes that the child's best interest is, and should always be, the highest priority for the MDT. The rights of the child outlined in the CRC2 are embraced, including but not limited to, providing the child/family with relevant information about their case; empowering the child/family to voice their opinions in all decisions related to them and to have an active role in safety planning and service provision consistent with age and development; ensuring the rights of the child/family to confidentiality and privacy, as well as cultural responsiveness and care that is free of bias/discrimination related to race/ethnicity, nationality, gender identity, sexual orientation, disability, religion or other factors.
- Is founded on the concept that the needs and desires of every impacted child/family are unique so that services and assistance must be tailored to meet the specific needs in each case.
- Recognises that when the age of a child is not clear, the dangers of falsely assuming the individual is an adult exceed those of erroneously assuming they are a child, and that the individual should be given the benefit of the doubt and treated as a minor until age can be determined.
- Clearly describes the roles/responsibilities of MDT members, as well as limitations inherent in their work
- Codifies strategies for appropriate information-sharing and collaborative teamwork (including what information can/should be shared and procedures to follow to allow sharing). It is critical to have prompt, consistent, open communication between members, with tactical information sharing in the context of privacy and confidentiality laws and policies; existing challenges to cross-agency information sharing must be addressed. See section VII.
- Outlines the step-by-step procedure to be followed when managing a case of suspected THB/CSA/CSE, from initial referral of the case to provision of child/family services that extends beyond the period of criminal investigation, to case closure (including local integration, return to country of origin or resettlement in a 3rd country for foreign-born children).
- Establishes multiple pathways in which a child may come to the attention of MDT members and receive services. Multiple reporting channels helps ensure vulnerable children are recognized and served.
- Outlines the trauma-informed, child-centred, rights-based and culturally responsive approach to working with children who may have experienced THB/CSA/CSE and their families
- Clearly establishes guidelines on appropriate documentation by MDT members
- Establishes procedures to address and resolve conflicts within the MDT
- Provides information regarding risk factors and possible indicators of THB/CSA/CSE and a standardised, validated screening measure(s) to screen for risk (if available).
- Provides a directory of available child/family services and prevention programs, as well as

- MDT member agency/organisation contact information.
- Actively seeks out organisations that serve marginalised populations at risk for THB/CSA/CSE.
- Ensures equity and inclusivity for all children and families throughout all phases of identification, assessment, investigation, prosecution and service provision. This includes free access to health and mental health care services, waiving fees to file police reports and elimination of other economic and social barriers to service access for all children regardless of citizenship status.
- Establishes formal agreements with key service providers, such as an organisation offering paediatric mental health services, and a children’s hospital forensic institute and/or medical clinic where staff are trained in treating paediatric trauma and sexual violence. This helps to ensure standardised reliable services for children and families.
- Addresses vicarious trauma/secondary traumatic stress
- Outlines process for ongoing monitoring and evaluation of the MDT process and impact, with evaluation results used to make necessary changes to MDT
- Creates a steering committee to oversee MDT function, resolve conflicts, make changes to the MDT and to ensure sustainability.
- Establishes an MDT coordinator to address day-to-day details of MDT function and ensure ongoing collaboration and compliance with the protocol; ideally this person is viewed as a neutral party
- Establishes a system for anonymous feedback by MDT members, children, families and other stakeholders regarding MDT functioning, with regular review of feedback and implementation of necessary changes to protocol and practices
- Describes process for effective dissemination of the protocol to stakeholders, including education on use of the protocol

Training

- Initial and regular supplementary training of child-serving professionals is critical in establishing a thorough understanding of THB/CSA/CSE dynamics, the experiences, health impacts, and psychosocial needs of children, as well as the requirements for criminal investigation. Training includes:
 - Annual, cross-professional training of **MDT members** on the protocol; the definitions and dynamics of THB/CSA/CSE (including similarities and differences); online CSE as a form of abuse; and the trauma-informed, rights-based, child-centred and culturally responsive approach to child/family interactions. The training should cover updates to laws and policies; a review of available child/family services; specific training on the negative impact of stigma; and strategies to increase cultural responsiveness.
 - Training on cultural responsiveness, as well as implicit and explicit bias and discrimination, including its negative impact on children and families. Training should address strategies for recognizing and responding to one’s own biases and those of others in the workplace.
 - Training for **all mental health providers serving affected children and families** on the impact of trauma and traumatic stress, the child-centred, trauma-informed approach to working with clients, and basic strategies needed to provide psychoeducation and teach techniques for stress management. Where resources are available, children needing specialty care should be referred to mental health clinicians trained specifically on child trauma and evidence-based therapies for children who have experienced sexual violence. Clinicians should be aware of the similarities and unique challenges in serving children who have experienced THB vs CSE vs CSA.
 - **Specialised training for MDT staff** regarding professional practices within their specific field that are needed to successfully address THB/CSA/CSE. Examples include training for

prosecutors on building and trying cases, for law enforcement on evidence collection and investigation strategies, for healthcare professionals on obtaining relevant patient history and conducting forensic medical evaluations, etc.

- Training for **frontline professionals who, while not part of the MDT**, may be first responders in the recognition of children exposed to THB/CSA/CSE. This includes, but is not limited to some police officers, lawyers, teachers, labour inspectors, religious leaders and health professionals, among others. Consider creating 'checklists' or short manuals that outline professional responsibilities when THB/CSA/CSE is suspected.
- Training for **aspiring professionals** in police academies, and programs in law, medicine, nursing, psychology, education and social work

MDT Member Values and Commitments

Successful functioning of the MDT must include:

- A negotiated, shared vision and goals that are valued and accepted by all MDT members and their organisations.
- Understanding of the cultures defining each MDT agency/organisation
- Thorough understanding of members' roles and responsibilities, as well as their organisations' limitations
- Attention to 'turf' issues (potentially opposing views of roles/responsibilities of MDT members with disagreements over control)
- Interdependence, shared power and mutual gain of participants and their organisations
- Commitment by members to engage in clear, open-minded communication, with prompt responses to questions and requests by other members
- Commitment by each member to appropriately protect the private information of children and families
- Successful Functioning of the MDT Includes:
- Collaborative networking to develop and maintain professional relationships with all members feeling equally valued and respected
- Use of standardised definitions that are harmonised with international standards and national laws
- Use of standardised screening tools when feasible, or use of evidence-informed and standardised questions assessing risk of THB/CSA/CSE appropriate for the local population
- Awareness of MDT members of existing resources for children and families. This may involve conducting a 'community mapping' exercise to identify public and private organisations that provide resources to address vulnerability factors as well as those facilitating trauma healing.
- Implementation of effective strategies for cross-agency referrals within and external to the MDT.
- Integration of community-based organisations into the MDT, to help facilitate service provision
- Ensuring that a case manager is assigned to each family to advocate for the rights of the child/caregiver and to ensure their service needs are met during and after the investigation.
- Regular team meetings to facilitate information sharing and maintain critical relationships among members. Meetings may vary in goals, from focusing on individual case reviews to provide case updates and facilitate service provision, to broad, high-level discussions of systemic issues regarding MDT function and sustainability. Training sessions and respectful peer review discussions may be incorporated into meetings.
- Participation in primary prevention activities to raise awareness of THB/CSA/CSE, reduce risk within the community and address social stigmas related to THB/CSA/CSE. Such efforts may include school education programs, town hall sessions for parents, and media campaigns.
- Working with the media to educate on the child-centred, trauma-informed approach to reporting THB/CSA/CSE, the need to avoid stigmatising, victim-blaming language and a respect for the privacy of affected children and families.

- Working with the media to advocate for the rights of children and their families.

Common Challenge to MDT Implementation

Countries and communities functioning in low resource settings, those experiencing extensive corruption, and/or limited governmental support may face serious challenges in developing and implementing the comprehensive MDT described in this framework. Even communities and states characterised as 'high resource' may experience limited access to resources due to allocation restrictions, political climate, legislative limitations and other factors. It is critical to consider that full implementation of an all-inclusive protocol may be accomplished in a step-wise fashion, introducing changes in small increments, according to opportunities that arise over time. In fact, even in the best of conditions, designing and implementing a comprehensive protocol is a time- and labour-intensive project that should be piloted before full implementation. Thereafter it requires monitoring and continuous adjustment to reflect ongoing changes in the dynamics of the community and of THB/CSA/CSE.

In some states and communities, it may not be feasible for a relatively small number of dedicated child-serving professionals to instigate sweeping changes in the legal and/or social welfare infrastructure that will pave the way for an effective MDT response. For example, widespread corruption within the criminal justice system, or extremely limited and suboptimally organised social welfare responses may severely limit the development of a fully functional MDT. Significant changes may require a lengthy period of time, substantial and sustained political and social will and major cultural shifts. However, in these instances, alternative shorter-term goals may be considered while working for long-term change. For example, the MDT may choose to focus efforts on assisting parents, other caregivers and frontline professionals (e.g., teachers, and healthcare personnel) to keep children safe in the absence of an effective law enforcement or government social welfare response. That is, efforts are directed toward child safety rather than holding offenders accountable in the criminal justice system; to grass roots support rather than government-run social service interventions. In addition to THB/CSA/CSE primary prevention initiatives, adults may be trained on harm reduction strategies to maximise the safety of a child who is at high risk for, or who has experienced THB/CSA/CSE.^{90,92} For example, teachers may be taught how to assist parents in creating safety plans to protect the child from harm or to minimise harm that cannot be avoided. Healthcare providers may be trained to provide psychoeducation to traumatised children and their caregivers, so healing may begin even in the absence of trained mental health professionals. Examples of psychoeducation include explanations of the traumatic stress response, strategies for re-interpreting a child's behaviours as an adaptation to prior trauma, and training on simple but effective stress management techniques. Training and support may be provided by community NGO's. Parent/caregiver and child support may be provided by hotlines and helplines. Adult survivors of THB/CSA/CSE and caregivers of survivors may provide critical input on the effective design and implementation of these harm reduction and psychoeducation initiatives.

Primary prevention efforts are also critical and may be a major focus if major barriers prevent an effective criminal justice response and provision of government-run child protective services. These may focus on initiatives addressing CSA, online sexual victimisation and THB, targeting children of varying age, parents/caregivers and professionals. Again, involvement of adult survivors of THB/CSA/CSE and caregivers of survivors is important, as is cultural adaptation of existing programs. Prevention messages should be relevant to the target audience and their daily lives, especially when addressing online safety concerns. Please also see Section VIII.

Structure of the Template for a MDT Protocol

The framework includes a template for the development of a MDT protocol that is tailored to meet the specific needs of a given community/region/country. The template outlines the basic components of a protocol and indicates areas that must be specifically adapted to local conditions. In addition, there are multiple appendices that provide further resources. The resulting protocol created by stakeholders may or may not include the Introduction section of this framework.

The template begins by outlining the foundations of a MDT, then provides relevant definitions for terms related to THB/CSA/CSE. It includes sections on providing trauma-informed, child-centred, culturally responsive, and rights-based care, and on strategies for working with children of varying age and developmental abilities. The framework outlines procedures for multidisciplinary collaboration among team members, describes roles and responsibilities of members, and outlines key services relevant to the MDT. Finally, the framework addresses THB/CSA/CSE prevention, and discusses secondary traumatic stress/vicarious trauma that may be experienced by MDT members. The appendices include a sample MOU, a list of potential indicators of THB/CSA/CSE, additional resources for MDT members, an international framework for THB/CSA/CSE, additional ethical issues to consider and a template for a directory of community resources. A summary of the evidence base for multidisciplinary collaboration in the field of child protection is also included.

Given that this framework is designed for adaptation in countries varying widely in cultural beliefs and practices, economic resources, laws and legal systems, social conditions and government infrastructure, the guidance is necessarily general. When using the template to design a particular protocol, adjustments will be needed to reflect cultural, economic, social, and legislative conditions. The protocol must outline collaborative practices that are feasible and sustainable in the national, regional and local contexts. Those developing the protocol must consider the policies and procedures of each agency participating in the MDT and acknowledge that these, as well as local and national laws, may take precedence over the protocol in some circumstances. Adjustment and adaptation may be accomplished by a multidisciplinary steering committee. This committee may also oversee and govern the implementation of the MDT collaboration and review the protocol at specified intervals to update it, as new legislation is passed and/or agency policies and procedures change over time.

Where the text is *[in bold, bracketed and italicised]* below, specific local information should be inserted (for example, *[the geographic area covered by the protocol]; [names and contact info for MDT members and resources]*).

Methodology of the Framework as part of the HEROES project

The MDT framework is the product of a multidisciplinary initiative involving experts in child protection from low-, medium- and high-resource countries, as well as extensive desk research regarding the use of MDTs in the field of child protection (including published, peer-reviewed studies and grey literature (e.g., reports and guidelines published by large global organisations), as well as international conventions and protocols. The project was led by the International Centre for Missing and Exploitation Children (ICMEC), as part of the HEROES grant. An initial draft was created on the basis of a review of existing research and best practices, as well information gleaned from semi-structured interviews of 15 child protection professionals and experts in THB/CSA/CSE from 13 countries (Pakistan, Mongolia, Moldova, UAE, India, Nigeria, Kenya, Ireland, Colombia, Lithuania, Portugal, Bulgaria, and Spain). Including the work group chair, the following professions were represented: law, psychology, medicine, law enforcement, NGO director and organisational, local or regional coordinator. Participants reviewed and edited the initial draft, which was then modified and further reviewed by HEROES grantees, leading to the final framework.

Template

Framework for a Multidisciplinary Team Protocol on the Response to Child Sexual Abuse, Child Sexual Exploitation and Child Trafficking in Human Beings

NOTE: This template, *with or without the above introduction*, should be adapted to create a protocol that meets specific environmental conditions and population needs of the target community/region/country.



i. Foundations of the MDT Protocol



II. Definitions of Common Terms



III. The Child-Centred, Rights-Based and Culturally Responsive Approach to Interacting with Children and Families



IV. Speaking with Children of Varying Age and Developmental Status



V. Roles and Responsibilities of MDT Members



VI. Forensic Interview and Forensic Evaluation



VII. Procedures for Responding to THB/CSA/CSE



VIII. Prevention of THB/CSA/CSE



IX. Monitoring and Evaluation of the MDT



X. Secondary Traumatic Stress Among Professionals



XI. Dissemination and Maintenance of Protocol



I. Foundations of the MDT Protocol

Why a protocol is important

Purpose:

The purpose of an MDT protocol is to outline general principles and strategies for building and maintaining a comprehensive, multidisciplinary collaborative approach to the prevention, identification, assessment, intervention (including protection and child/family service provision), investigation and criminal prosecution of THB/CSA/CSE.

An MDT protocol serves as a guideline and is not intended as legal evidence of a standard of care. Compliance or noncompliance with the document is not intended for use in trial or court as relevant evidence. In case of any interpretation or conflict, or for requirements not addressed herein, the law will always take precedence. In addition, case specific conditions may require that certain components of the protocol are not followed; this should be determined on a case-by-case basis.

Goals: *[Modify goals below to reflect specific needs of community.]*

The protocol aims to:

The objectives of this Protocol are to:

Guiding Principles:

The following guiding principles, which are essential for child justice as stated under the United Nations Convention on the Rights of the Child² and United Nations Guidelines on Justice in Matters involving Child Victims and Witnesses of Crime,⁴² must be observed by all professionals during their work with children/families who have experienced THB/CSA/CSE:

- Prioritise the best interest of the child in all matters impacting that child
- Ensure children and families are treated with respect and are protected from discrimination
- Ensure the child and family receive relevant information and are empowered to participate in decisions impacting them, as developmentally appropriate
- Respect the child and family's right to dignity
- Treat children and families with sensitivity, empathy and care at all times

Common functions of the THB/CSA/CSE Multidisciplinary Team:

1. Conduct a comprehensive child protection investigation that minimises trauma to the child/family.
2. Assess the safety of the child, immediately and over the longer term.
3. Determine the strengths and needs of the child and family.
4. Provide holistic services to assist the child's recovery and improve family functioning.
5. In cases of transnational THB/CSA/CSE, provide assistance in local integration, return or resettlement as indicated.
6. Successfully investigate and prosecute offenders, holding them accountable for their crimes.
7. Assist the family in obtaining proper compensation, as possible
8. Raise awareness of THB/CSA/CSE within the community.

Activities of the THB/CSA/CSE Multidisciplinary Team: (See also, Section VII)
[Modify below to reflect specific needs of community.]

In order to efficiently support children who have experienced THB/CSA/CSE and their families, MDT members need to implement:

Target Audience: *[Modify below to reflect specific needs of community.]*

MDT composition ^{1,15,24,25,27,29,35}: *[Modify below to reflect specific needs of community.]*

According to best practices, MDT's are composed of the following individuals:

Additional members may be added, as appropriate. Some may be invited to attend meetings on an ad hoc basis to provide input on particular cases. For example, it may be useful to consider the following:

For the subgroup of the MDT that meets to discuss systemic issues related to protocol implementation (as opposed to discussing specific cases), it is useful to *invite the leaders of the above agencies/organisations as well as the following:*

In some communities, regions or countries it may be very difficult to bring members of a large MDT together for regular in-person case review meetings so an online option may be helpful. In addition, it may be helpful to form a 'core group' of MDT members that meets regularly, with 'ad hoc' members brought in as needed (for example, border police when there is a transnational case of THB/CSA/CSE). The composition of the MDT will necessarily vary with the resources and limitations of the community.

Geographic Scope:

[Insert description of target area of MDT coverage, for example, a given city, region or country. Initially, this may involve a relatively small region as the MDT is piloted, with subsequent expansion to larger areas.]





II. Definitions of Common Terms

Multiple definitions for ‘child sexual abuse’, ‘child sexual exploitation’ and ‘trafficking in human beings’ have been proposed by international conventions and guidelines, regional declarations, national, and state laws. Further, the practical implementation of these definitions may vary between state agencies and institutions. The definitions used in this document are the product of international, multidisciplinary collaboration. The term, ‘child’ refers to any individual who is less than 18 years of age.

[Adjust definitions below to reflect relevant local and national laws and policies.]

Child sexual abuse (CSA):

Child sexual exploitation (CSE):

Trafficking in human beings (THB):

Trauma:

Vicarious traumatization (VT):

Secondary traumatic stress (STS):

Traumatic stress:

Post-Traumatic Stress Disorder (PTSD):

Rights-based, child-centred approach (also called, 'victim-centred' approach):

Trauma-informed approach:

Culturally responsive:


Mandated reporter:

First responder:

Forensic/Investigative interview:

Extended forensic evaluation:





III. The child-centred, rights-based, trauma-informed and culturally responsive approach to interacting with children and families^{2,11,34,47,50-52}

This section applies to ANY professional speaking with a child, including during an initial disclosure or forensic interview (FI), while a medical provider is obtaining a history, or when a professional is interacting with a child during the course of the investigation and/or during service provision. (Please refer to definitions of ‘rights-based, child-centred care’, the ‘trauma-informed approach’ and ‘cultural responsiveness’).

Whether speaking to a child about upcoming court procedures or working with a caregiver to create a safety plan, professionals should be cognizant of, and respect, the basic human rights outlined in the United Nations Convention on the Rights of the Child (CRC)² and national laws and protocols supporting the CRC. Table 1 lists some particularly relevant rights that apply to children who have experienced THB/CSE/CSA and their adult caregivers.

Table 1: Basic Rights of Children (and Adults) in Cases of THB/CSE/CSA (for full list refer to UN CRC2)⁴¹

The child’s best interest shall be a primary consideration in all actions involving the child
Right to protection from all forms of physical or mental violence, injury or abuse, neglect or negligent treatment, maltreatment, or exploitation, including sexual abuse
Right to protection from economic exploitation
Right to obtain relevant information , to be given in a way that the individual can understand (informed assent/consent)
Right to express views and be heard , appropriate to the child’s age and development
Right to privacy and confidentiality
Right to consideration of special needs (age, disability, etc.)
Right to dignity, self-respect
Right to respect of cultural and religious beliefs and practices, and to treatment without bias or discrimination

Right to the enjoyment of the highest attainable standard of health and to facilities for the treatment of illness
Right to effective assistance
Right to be protected from hardship during the justice process
Right to safety
Right to special preventive measures
Right to reparation

The right to treatment that is free of bias and discrimination cannot be overemphasised. Children who experience THB/CSE/CSA often are exposed to multiple types of discrimination, many related to the trauma experience itself (e.g., stigma against ‘prostitution’ or the view that child victims of sexual violence are somehow ‘dirty’ or ‘tarnished’), but also to conditions that render the child vulnerable to THB/CSE/CSA (e.g., foreign-born status, street-based living conditions; non-binary gender identity; physical or intellectual disability). Such discrimination may originate with the lay public and professionals alike. It may be extremely distressing to both child and caregiver and may hinder the ability of a professional to build trust with the child and family and to provide assistance. MDT members must ensure that the impact of their own personal biases is minimised and maintain zero tolerance for discriminatory behaviour by other members. The MDT should establish a formal system allowing children, caregivers, and professionals to lodge complaints anonymously regarding discrimination identified during the course of the team’s work. The information submitted should be reviewed by the MDT coordinator, and relevant MDT members, with involvement of the steering committee as indicated. Data summarising the complaints should be organised and maintained in a secure database and reviewed regularly.

[Insert specific details of measures to be taken to prevent and respond to bias and discrimination in the activities of the MDT. This may include a relevant code of conduct, which may be designed specifically for the MDT and based on professional ethical standards and/or codes of conduct already in place for agencies/organisations participating on the MDT.]

When THB/CSE/CSA occurs, the associated trauma not only involves the child (primary victim) but also those close to the child (e.g., caregivers). The latter may sustain considerable secondary trauma when they learn of the child's experiences and may respond with a range of distressing emotions such as guilt, anger and intense sadness. Their child's traumatic experiences may reawaken trauma they, themselves, endured earlier in their lives, trauma that may have remained unresolved for years. MDT members working with children and families thus may interact with multiple traumatised individuals.

Affected children and their non-offending caregivers may experience prominent symptoms associated with their trauma; this is known as 'traumatic stress'. These symptoms may reflect the body's efforts to cope with the anxiety, fear and other negative emotions associated with the trauma. For example, extreme anxiety may preclude a caregiver from paying attention to the person attempting to assist them, may impede a child's memory of event details, may lead to transient dissociation whereby the individual seems to distance themselves from their immediate surroundings. Somatic complaints such as seemingly unexplained head, back and stomach aches may signal emotional distress, as may sudden mood swings. Anxiety, feelings of guilt, and fear may hinder a non-offending caregiver from managing simple tasks in daily life and make it difficult for them to support their traumatised child. Significant trauma of any sort--be it the THB/CSE/CSA events being addressed in the investigation, or another major traumatic event experienced earlier in an individual's life (e.g., prior death of a loved one, or physical assault)--may negatively impact the traumatised child/caregiver's views of themselves and the world around them.⁴⁷ They may come to view themselves as powerless, worthless, and undeserving of respect. They may view the world as a dangerous place, and the people they encounter (including MDT professionals) as threatening and potentially harmful. As a result, they may adopt behaviours, views and attitudes that reflect these beliefs and serve to protect them from a hostile or threatening situation. Some of these attitudes and behaviours may be maladaptive in situations outside of the trauma setting (e.g., substance use, aggression, suspiciousness, paranoia, marked social withdrawal). They may also negatively impact others who interact directly or indirectly with the individual, including MDT professionals.

It is imperative that the MDT professional understands the potential impact of trauma on the child and caregiver, taking into account the prior trauma events when interpreting an individual's behaviours, statements, perspectives, and beliefs. Understanding the underlying function of a given behaviour (for example, irritability and hostility as a protection mechanism against feared harm) allows the professional to avoid responding in an unhelpful way (e.g., defensiveness, hostility) and instead remain open, non-judgmental, and supportive. The basic tenets of a trauma-informed approach are summarised in Table 2. It is also critical to understand, and to communicate with both child and caregiver, that symptoms of traumatic stress represent **normal reactions** to **abnormal events**. That is, their presence does not indicate psychosis or 'craziness'. While some traumatised individuals will go on to develop post-traumatic stress disorder, major depression and other mental health disorders,⁵³⁻⁵⁷ many will experience transient traumatic stress symptoms and recover over time, especially when receiving emotional and other support from family and other trusted persons.

Table 2: Concepts of a Trauma-Informed Approach^{1,41,47,50,58}


CONCEPT	ATTITUDES & BEHAVIOURS OF PROFESSIONAL
SCREEN FOR TRAUMA (THB/CSE/CSA)	The professional is aware of vulnerability factors and potential indicators of THB/CSE/CSA and asks questions to assess the level of risk.
ENSURE SAFETY	The professional actively works to increase the child/caregiver's physical comfort (meets with individual in a warm, private, child-friendly, quiet environment; addresses basic physical needs) and decreases stress and anxiety. The professional follows a protocol to maximise the safety of the child, family and staff; and speaks with the child outside the presence of those who accompany them to the visit, as developmentally appropriate for the child and when allowed by law/policy. When discussing sensitive issues, a child/adolescent may feel safer and more comfortable having the non-offending caregiver or other companion outside the room. And in some instances, the professional may not know with certainty that the person(s) accompanying a child to the visit is prioritising the safety and best interest of the child. In some jurisdictions, a trained mental health professional may need to be present during a formal investigative forensic interview. In any conversation, a professional interpreter is used when there are concerns of language fluency (family members or companions are NOT used to interpret). No action is undertaken that will jeopardize the safety of the child.
DEMONSTRATE RESPECT	The professional explains the purpose of the visit and the reasons behind each step (for example, the reason for asking personal questions; the function of the physical exam or the purpose of the psychological assessment) and answers the child's/caregiver's questions before seeking assent/consent for each step (consistent with the child's developmental capacities). The provider seeks and accepts the individual's perspective and respects their decisions as feasible and appropriate ^A . They actively listen and remain non-judgmental and open.
BUILD TRUST	The professional takes time to build rapport with the child/caregiver; demonstrates an interest in learning about who they are and their situation; avoids making assumptions. The professional demonstrates empathy and concern for the individual's well-being.
ENGAGE AND EMPOWER	The professional is interested in, and actively encourages the individual's questions and opinions, facilitates a 2-way discussion, and asks the child/caregiver for their thoughts about their situation/condition and the best way to address it. The provider recognises the individual's self-agency and encourages them to use it to make choices and take control whenever possible throughout the visit.
USE A STRENGTH-BASED APPROACH	The professional recognises, respects and emphasises the child/caregiver's strengths and resiliency and acknowledges that the individual is the expert on his/her/their life.
MAINTAIN TRANSPARENCY	Before asking personal questions, the professional explains any limits of confidentiality in a way the child/caregiver understands. They review who may have access to information obtained during the visit (e.g., access to documentation), and under what circumstances. They explain what will happen during the visit and keep the individual updated on activities occurring during the visit.


<p>DEMONSTRATE SENSITIVITY TO DIVERSITY</p>	<p>The professional is aware of, sensitive to, and respectful of, differences that may exist between themselves and the child/caregiver (e.g., differences in culture, nationality, race, ethnicity, religion, gender, or sexual orientation). They actively seek to understand the individual’s beliefs and perspectives as these pertain to their physical and mental health, their life, and their situation. The professional accommodates the individual’s preferences whenever these are safe for the person, possible and feasible, and when they represent the best interest of the child. They respect the desire of the child/caregiver to be served by a professional of a specific gender when possible.</p>
<p>MINIMISE RE-TRAUMATIZATION</p>	<p>The professional limits their questions to those needed to perform their duties, assess safety, and promote the child’s well-being. They avoid questions that are irrelevant and that may trigger anxiety and distress. The professional monitors the individual for verbal and nonverbal signs of emotional distress throughout the visit. They provide reassurance and support and have resources available to manage major psychological distress. They implement procedures to ensure that the child/caregiver does not have to repeat her/his/their information multiple times. In many jurisdictions this includes audio video recording of a formal forensic interview. Some experts advocate for recording other interviews, as well, although the latter is not uniformly recommended, and ramifications should be carefully considered by the MDT.</p>
<p>PROVIDE RESOURCES/ REFERRALS</p>	<p>The professional or designee creates and regularly updates a list of community, regional, and national resources for the myriad needs of children and families who experience THB/CSE/CSA or are at risk for abuse and exploitation. Ideally, the professional establishes relationships with community service agencies and uses a ‘warm hand-off approach’^B to a referral agency when possible. Community referral information is provided to the child/caregiver in a way they understand, considering language, literacy, age and cultural factors.</p>
<p>ENSURE PRIVACY AND CONFIDENTIALITY</p>	<p>The professional and the facility maintain strict protocols on documentation and release of information that respect the child’s right to privacy and confidentiality (while facilitating trauma-informed, rights-based MDT collaboration). Procedures are in place for taking appropriate and prompt action if confidentiality is breached; adherence to the procedure is monitored. Staff receive training on maximising confidentiality and are held accountable for maintaining high standards. If media are involved, the professional does not release the child/family name or photograph, caregiver occupation or address without the child/family’s permission and does not discuss specifics of the case that may violate the confidentiality of the child/family. The professional avoids sensationalising the case and does not make derogatory, victim-blaming, or stigmatising statements about the child or family.</p>

A: Respecting a child/caregiver’s decision about evaluation and treatment assumes there are no health or safety issues that require emergent care, such as uncontrolled bleeding or suicidal behaviour that place the child’s wellbeing in jeopardy. It includes due consideration of the child’s developmental capabilities.

B: “Warm hand-off” refers to the professional directly contacting the service agency to discuss and arrange the referral or assisting the child/caregiver with making contact before leaving the professional’s facility.

Table adapted from "Improving physical and mental health care for those at risk of, or experiencing human trafficking & exploitation: The complete toolkit, 2nd edition"⁵⁹ with permission.





IV. Speaking with Children of Varying Age and Developmental Status⁶⁰⁻⁶⁵

Excellent resources describing the science of child forensic interviewing are available and inform the basis for this section.^{60-64,66,67} Evidence-based forensic interview protocols are also available.^{68,69} The information below is intended for **use by MDT members in their day-to-day practice when speaking with children**; formal, legally-admissible forensic interviews should be conducted by professionals with more specialised training (see also Sections V, VI and VII).

Very young children (e.g., 4 years of age), and many children with intellectual disabilities (ID) are able to provide important information about their experiences, but caution must be taken to consider developmental capabilities and other factors when speaking with a child. The ability of an individual to recall and describe experiences depends on many factors,^{62,67} including (but not limited to)

- Child factors:
 - Age/developmental status
 - Temperament (impacts how child attends to, and interprets event)
 - Understanding of event(s) in question
 - Coping skills for managing stress
 - Intelligence
 - Information-processing skills
 - Language skills
- Factors related to the conversation:
 - Format of questions asked
 - Demeanour of professional
 - Content and quality of the preparation preceding sensitive questions (e.g., rapport-building, discussing expectations)
 - Pre-conversation factors (number of times child has been questioned/interviewed and how they have been questioned)
 - Availability of appropriate communication modalities for children who are not able to easily express themselves verbally (e.g., play therapy (toys), drawing or writing materials)
- Event factors:
 - Time between event(s) and conversation with professional
 - Number and type of events
 - Child as witness to the trauma of another vs child directly experiencing the event
 - Impact of event on the child

Acknowledging tremendous variation between children of similar age, and the variation in a given skill demonstrated by a child under different conditions, the following outline may be helpful to MDT professionals

(see **Table 3**). Conversations with children with mild ID should generally be targeted at their ‘developmental age’ while those with more severe disabilities may benefit from questions appropriate for levels lower than their developmental age. (For more information on speaking with children with ID, see Lamb, et al., 2018; pp137-160).⁶²

Table 3: Age- and Developmental Stage- Related Changes in Children’s Ability to Describe Their Experiences^{52,60-63,65}

YOUNG CHILDREN		
Often are able to....	Usually cannot...	They may....
Answer open-ended questions (broad, and cued invitations), although they may give relatively few details per question	Report how many times an event occurred (although may be able to distinguish between ‘one time’ and ‘more than one time’)	Be reluctant to admit they do not know an answer or do not understand
Answer ‘who’ and ‘what’ questions, using their own words/terms	Provide a reliable sequence of events (e.g., timeline)	Try to guess if they don’t know the answer
Interpret and answer questions very concretely	Tell <i>when</i> something happened or <i>why</i> it happened	Be suggestible to leading questions
	Collect things into adult-like categories (“Has anything like this ever happened to you?”)	
	Keep track of pronouns easily	
	Pay attention for extended periods (keep conversation to <20 minutes)	

SCHOOL-AGED CHILDREN		
Often are able to....	Often or Usually cannot...	They may....
Provide idiosyncratic details (e.g., smells, visual details in environment, bodily sensations)	Reliably provide the time of day and month of year or the season when event occurred	Remain relatively concrete, although some abstract thinking is emerging
Provide narratives that are better organised	Give reliable report of frequency of events.	Have a strong sense of responsibility and shame for what happened
Report the age abuse started/ stopped		Be reluctant to admit they do not know an answer or do not understand
Correct mistakes introduced by misleading questions		Try to guess if they don’t know the answer

		Still make errors with pronoun references
		Become confused when questions include double negatives
		Be very concerned about family's reaction to events, and whether they are believed

ADOLESCENTS		
Often are able to....	Often or Usually cannot...	They may....
Provide a coherent narrative (gradually improves throughout teen years)	The ability to provide event details and to construct coherent narratives are not as well developed as an adult	Be very concerned about peer approval
Provide more details of event(s)		Be concerned about negative parental reactions
Understand some abstract concepts		Be easily embarrassed and easily intimidated, as well as concerned about the social desirability of their answers
Perceive and integrate emotions and intentions of others into the narrative		Feel shame and guilt about events
		Be vulnerable to suggestive questioning due to feeling pressure to answer 'correctly'.

General tips for speaking with children of all ages, and with adults include:

- Try to obtain information about the THB/CSA/CSE from reliable adult sources, which may help minimise the number and type of sensitive questions posed to children.
- Introduce yourself and describe your role; ask the child/adult what name they would like you to use (some experts also advise querying the individual about preferred pronouns).
- Be aware of possible concerns the child/adult may have regarding the gender of the professional asking questions and try to accommodate their requests as feasible. If the child/adult and the professional are of differing genders, ensure extra safeguarding measures are in place, such as the presence of a neutral chaperone of the same gender as the child/adult, having the conversation in a place where involved parties may be visualised (e.g., window on the door of an office) or videorecording of the conversation. (NOTE: While some experts advocate for the presence of a child's caregiver during an interview about THB/CSA/CSE events, it is important to note that the chaperone is a caregiver or someone else well known to the child, this may negatively influence the child's willingness to disclose sensitive information and may limit the usefulness of the interview.)

- Take time to build rapport before asking sensitive questions. This stage allows the professional to build trust with the child/caregiver, assess the ability of the child/caregiver to provide a narrative, and to assess conversational skills and vocabulary. In addition, it allows the child/caregiver to ‘practice’ providing narratives and answering open-ended questions.
- In your conversations with older children/adolescents, and caregivers, provide an explanation for why you need to ask questions, make it clear that participation by the individual is voluntary and that they may decline to answer questions or stop the conversation at any time without repercussions. Explain who will have access to information they provide and how it will be used. Obtain informed consent/ assent.
- Discuss the importance of the child/caregiver:
 - Letting the professional know if they
 - do not understand a question
 - do not know the answer to a question
 - feel uncomfortable with a question or want to stop or take a break
 - Talking only about events that the child/caregiver knows actually happened, not about those that may have happened
- Listen more than speak. Demonstrate active listening by maintaining eye contact (as is culturally appropriate and comfortable for the child), avoiding multitasking (e.g., taking notes, studying forms, glancing at texts or computer screens), taking time to briefly summarise what the individual has said to show you are listening and to ensure you understand. Use occasional words/phrases or sounds to encourage continued narrative (e.g., “um-hm, “, “I see,”).
- Consider the use of nonverbal methods of providing information, such as drawing, or writing.
- Use open-ended questions (broad questions and cued invitations) as much as possible. Even very young children and children with ID are able to answer questions in this format. (See below for discussion of question format.)
- Frame your questions so the child is aware of the topic to be discussed; announce topic changes with a new frame (“We’ve been talking about your day in the park. Now I’d like to talk about what you did this morning.”)
- Clarify terms (e.g., ‘had sex’; terms used to describe genitals) and then use the child’s terms.
- Make questions short, simple, and inclusive of only one idea. Avoid strings of clauses.
- If the answer given by the child appears odd or nonsensical, think about how the question was phrased. It may have been an abstract question that the child interpreted very concretely.
- Remain objective and neutral; avoid asking only the questions that will affirm your assumptions or showing approval/disapproval for certain answers.
- Be aware of nonverbal communication, including your own. Do not show surprise, anger, disgust, or other reactions that may be construed by the individual as shaming or blaming. Avoid questions implying blame (e.g., “Why didn’t you tell anyone?”)
- Monitor for verbal and nonverbal signs of emotional distress so that you can respond in a way that minimises anxiety, fear and distress. For example, you may acknowledge the individual’s feelings and normalise them; ask if the person wants to pause or take a break, help the individual manage distress with strategies such as breathing or relaxation exercises, or switch to a less emotionally charged topic.
- Remember that a narrative may be incomplete. Initially children may provide limited detail as they assess your reaction. Stress experienced at the time of the event and the time of the interview may also impact memory retrieval and disclosures. If abuse has been chronic a child may not recall details of all episodes during an interview but retrieve memories at a later time and describe them in subsequent conversations.
- Young children may begin to use words before they truly understand their meaning, particularly prepositions (for example, before, after; inside, between).
- End the session on a neutral or positive note. Ask the child/caregiver if they have any questions or concerns.

- Try to avoid:
 - phrasing questions in the negative, and especially using double negatives (“He didn’t tell you not to .
 - frequent use of pronouns; instead repeat the name of the person in question (this is especially important for young and school-aged children)
 - anticipating the answers to questions or starting to plan the next query before the child/caregiver has completed the answer to the prior question.
 - rushing to fill a silence. This pause may be helpful for the child/adult to gather their thoughts, or necessary for them to process their emotions.
 - correcting or interrupting the individual during a narrative. You can return to the issue later when the child/caregiver has finished their answer.
 - correcting nervous behaviour, although the professional may acknowledge and normalise the individual’s nervousness.

Question Format

While many different types of questions are routinely used in everyday conversations, certain formats are preferred when speaking with children about forensic issues. Specifically, when it is important to maximise the likelihood of obtaining accurate information about an event, it is preferable to use **‘open-ended’** questions. These rely on a child’s free recall, with no additional clues to help with memory retrieval. There may be **broad open-ended** questions (e.g., “Tell me everything you can remember about _____.”) or **more focused open-ended questions** that restrict a child to a segment of the narrative (e.g., “You mentioned you went into the bedroom. Tell me about the bedroom,” or, “You said he left the house. Tell me about what happened after he left the house.” Open-ended questions allow the child to choose what they want to discuss within the scope of the topic and expand on the subject based on their own recollections. These types of questions are the most reliable and most likely to yield accurate information from children of all ages, and from those with intellectual disabilities.

One may obtain a great deal of information from a child simply relying on a sequence of open-ended questions. However, in many cases (with adults and children), narratives prompted by open-ended questions will lack some details and the professional may need to ask **more focused/direct questions**. These still rely on free recall, but provide direction to a child, *using information already mentioned by the individual*. Examples include “who”, “what” and “where” questions.

Option-posing questions (e.g., **multiple-choice and yes/no questions**) are less reliable question formats to use when questioning children and make use of a child’s ability to recognize a piece of information as having been encountered in the past, rather than relying on their ability to retrieve information from long term memory storage. In general, these question formats should be avoided, especially with younger children, and if used, should be followed by free-recall questions to confirm. Finally, **leading questions** (which introduce information the child has not mentioned) and **suggestive questions** (those that imply an expected answer) may well generate an inaccurate response due to a child being confused with the introduction of new information or wanting to please the questioner by providing the answer they assume is desired. Examples of such questions include, “What did she say to you before she left? (when the child has not indicated that the person in question said anything at all) (leading), and “Surely you refused to send him the photograph, didn’t you?” (suggestive).



V. Roles and Responsibilities of MDT Members Speaking with Children

Roles and responsibilities of core MDT members are outlined below. This list should be supplemented with descriptions of additional members who are included in the MDT being developed.

Mandated Reporter/First Responder

The role of the mandated reporter is to recognize and report to authorities when there is a reasonable suspicion that THB/CSA/CSE has occurred. “Reasonable suspicion” or related terms may vary in definition according to national law. The reporter need not be certain of abuse/exploitation. This individual is considered a ‘first responder’ since they may be the first professional to learn of the suspected THB/CSA/CSE.

[Insert relevant mandatory reporting law here, as well as a list of professionals who qualify as ‘mandated reporters’. Insert instructions on who to call to make a report, and what information is needed when making a report.]

Mandatory reporters should consider the following when working with suspected victims of THB/CSA/CSE and their families:

- The best interests of the child must be the highest priority.
- While interacting with the child, minimise questions about the THB/CSA/CSE, limiting your focus to obtaining information **critical for your role as a first responder. Your role entails**
 - Assessing if there is reasonable suspicion for THB/CSA/CSE (remember, a mandated reporter does NOT need to be certain THB/CSA/CSE has occurred, but only have a reasonable suspicion/concern)
 - Assessing the immediate and short-term safety of the child (and other children who may be affected)
 - Assessing the immediate need for medical or psychiatric evaluation/care. Indications for immediate care include bleeding, pain, injury, complaint of a discharge from the genitals,

obvious physical distress, change in mental status, suicidal ideation, evidence of psychosis, etc.). Emergency medical services should be contacted.

- Consider the safety of the child when deciding to report to authorities, and when deciding if it is appropriate to notify the caregiver that a report is being made.
- Consider the intended and unintended consequences of making a report to authorities and take steps to mitigate negative outcomes and ensure the safety of the child.
- Do not discuss the case with or reveal the identity of the child to anyone who does not have a role in managing the case. Maintain strict privacy and confidentiality practices according to agency/organisation policies and professional standards.
- A major role for the mandatory reporter is to provide support and reassurance to the child and non-offending caregiver. See **Table 4** and **Sections III and IV** for additional guidance.

Table 4: Support for Child Who has Disclosed THB/CSA/CSE

HELPFUL STRATEGIES	STRATEGIES TO AVOID....
Thank the child for telling you what happened	Implying shame or blame
Assure child they are not in trouble	Denigrating the reported abuser/exploiter
Validate their feelings	Assuming the child's perspective matches yours
Assure child the abuse/exploitation is not their fault	Imposing your views of the situation onto the child
Demonstrate to the child (verbally and nonverbally) that you take the allegation very seriously and are here to help (ex., active listening, supportive statements, non-judgmental demeanour)	Asking irrelevant, traumatising questions
Be transparent about the need for a report to authorities; explain next steps	Making promises you cannot keep
Empower child to share their feelings, concerns	Challenging the child's statement, implying disbelief
Remain empathic and open	Allowing pre-conceived notions, stereotypes, and biases to affect your reaction to the allegation

Law enforcement AND Government Child Protective Service Workers (CPS)

[Insert additional roles/responsibilities and edit below as indicated.]

Case Manager

[Insert additional roles/responsibilities and edit below as indicated.]

Prosecutor's Office

[Insert additional roles/responsibilities and edit below as indicated.]

Criminal and Civil Court Judges

[Insert additional roles/responsibilities and edit below as indicated.]

MDT Coordinator

[Insert additional roles/responsibilities and edit below as indicated.]

Forensic Interviewer

[Insert additional roles/responsibilities and edit below as indicated. Describe specific supervisory and continuing education requirements and strategies.]

Victim Advocate

[Insert additional roles/responsibilities and edit below as indicated. Describe specific supervisory and continuing education requirements and strategies.]

(Note: Depending on the structure of the MDT, the role of the victim advocate may be subsumed under that of the case manager, NGO staff or other MDT member.)

Nongovernmental Service Organisation Staff

[Insert additional roles/responsibilities and edit below as indicated.]

Interpreters^{66,74}

[Insert additional roles/responsibilities and edit below as indicated.]

Cultural mediators/Cultural-linguistic mediators¹⁵

[Insert additional roles/responsibilities and edit below as indicated.]

Health Care Professional/Forensic Medicine Professional
[Insert additional roles/responsibilities and edit below as indicated.]

Mental Health Professional

[Insert additional roles/responsibilities and edit below as indicated.]

Emotional and Psychological Support of Children and Their Families

[Insert additional roles/responsibilities and edit below as indicated.]

Table 5: Common (and Nonspecific) Reactions to Trauma⁹²

TRAUMA REACTION	COMMENTS
Abrupt changes in behaviour; new fears, or resurgence of prior fears	
Avoidance	Of situations, people, conversation topics
Social withdrawal	e.g., peer difficulties
Difficulty regulating emotions	e.g., rapid changes in emotions; anger; hostility
Irritability	
Acting out	e.g., inappropriate sexual behaviour, anti-social behaviour, aggression
Distrust of others, especially adults	
Regression in milestones	Especially younger children; ex., new bedwetting
Generalised fears	Very young children may have difficulty describing their fears
Recreating aspects of the trauma	In drawings, stories, sexualized behaviour, etc.
Sexual behaviours or use of sexual language not consistent with age/developmental stage	
Hyperarousal, hypervigilance	
Difficulty paying attention	May mimic attention deficit hyperactivity disorder
Anxiety/panic	May be exacerbated by memories of trauma
Hopelessness, sadness	
Physical symptoms	Nightmares, change in appetite, sleep problems, pain without apparent cause (e.g., somatic symptoms); bowel symptoms
Guilt, self-blame, shame	
Numbness, dissociation	
Refusal to separate from caregiver	Young children
Intrusive thoughts about trauma experience	
High-risk behaviour (e.g., substance use, running away; self-injurious behaviour, suicidal tendencies)	Often seen in adolescents
Concerns of being perceived as abnormal	Especially in adolescents

MDT members play a key role in providing psychoeducation to the child and caregiver and referring children with persistent and significant symptoms for further assessment by a mental health professional (see **Role**

of Mental Health Professional in Section V) and/or victim-service organisation providing psychosocial support. Psychoeducation may include:

- Providing the child and the caregiver basic information about how children typically respond to trauma
 - See **Table 5**
 - These are **normal reactions to abnormal circumstances**
 - Traumatic stress symptoms are **not** unusual
 - They do not mean the child is ‘crazy,’ ‘bad’ or ‘damaged’
 - They often self-resolve but if not, treatment may be available
- Discuss the concept that trauma impacts the way a child views themselves, others, and the world around them, and influences their behaviours and attitudes. Caregivers are advised to look beyond the child’s behaviours (e.g., hostility, anxiety) to the potential underlying functions of the behaviours (e.g., self-protection, a reaction to a memory of the trauma event(s)) and respond with empathy and support, realising that negative behaviours and attitudes likely reflect the child’s trauma rather than being a sign of negativity toward the caregiver.
- Discuss the concept of trauma triggers (sounds, smells, sights, etc. that remind the child of trauma, and often lead to anxiety, fear, or other distress). Discuss ways caregivers can help the child identify trauma triggers and develop strategies to avoid the triggers or mitigate their impact.
- Teach the child and caregiver strategies for emotion regulation (e.g., relaxation techniques, mindfulness, yoga, specific cultural practices).
- Additional messages for the caregiver include:
 - The abuse/exploitation/trafficking is not the fault of the child (or their fault as caregivers). It is the responsibility of the offender.
 - The child needs increased support and acceptance, especially during times of acute exacerbation of stress
 - Establishing routines and maintaining a sense of ‘normalcy’ can help a child feel safe
 - It is helpful to offer the child choices and control whenever possible
 - MDT members and other service providers should use a strength-based approach to empower the child and the caregiver to identify healing strategies they feel would be most effective, encourage the child and caregiver to offer their opinions in planning services and to actively engage in those services.

Mental health support for children and adults is not common practice in some regions of the world. If psychologists and other highly trained mental health specialists are scarce or unavailable in the community, MDT members should consider exploring the possibility of telemental health services provided by experts from other regions/countries. Any mental health therapy that is offered should be culturally appropriate and acceptable to the child and family. Often this involves a combination of therapeutic strategies that incorporate cultural values, beliefs, and practices into trauma-focused therapeutic modalities. Services designed to improve child and family well-being vary and may be provided by a number of organisations. For example, music or art therapy, peer support groups, group counselling, yoga classes and meditation sessions may be offered at organisations within the community. Community mapping of the available resources is important in order to facilitate appropriate referrals for care.



VI. Forensic Interview and Forensic Evaluation

Forensic Interview (FI)

Forensic interviews (FI) are designed to obtain a statement from a child regarding possible THB/CSE/CSA, using objective, legally defensible techniques that are child-centred, rights-based, culturally responsive, and developmentally appropriate. The interview is conducted using an evidence-based or evidence-informed structured protocol.^{66,68,69,93-95} FI's should be scheduled to attend to the needs of the child (highest priority), maximise MDT collaboration, ensure that information needed by all MDT members is obtained, and minimise the need for repeat interviews.^{24,29} The location of the interview should be child/adolescent-friendly (although not distracting), quiet, neutral, private and (ideally) equipped with technology that allows simultaneous observation by MDT members and videorecording of the interview. MDT members not able to attend the live interview may review the recording and/or other documentation as codified in the information-sharing section of the protocol.


The process for scheduling and conducting interviews is as follows:

There are a number of evidence-based or evidence-informed interview protocols that are suitable for children who may have experienced THB/CSA/CSE.^{68,69,93-95} In general, structured interview protocols consist of several phases to the interview, including⁶²

- An introduction that includes an explanation of the purpose of the FI and establishes expectations for the child.
- Rapport-building phase in which trust is built between child and interviewer.
- Narrative training phase, in which the child ‘practices’ responding to open-ended questions by describing a neutral event. This affords the interviewer an opportunity to assess the child’s linguistic and conversational abilities.
- Substantive phase that includes the child’s narrative of the events involving THB/CSA/CSE. This begins with the forensic interviewer using open-ended prompts and is followed by more directive questions as needed. In general, information is sought related to details of what happened, who was involved, where and when events occurred (if child developmentally able to address these issues), and if other victims may have been involved.
- Conclusion phase when the interviewer asks the child if they have anything else they would like to add, then introduces a neutral topic to discuss. The interviewer answers any questions, then thanks the child and the session ends.

Forensic evaluation (FE)

A forensic evaluation (FE) extends the forensic interview over multiple sessions (typically 2-6) and is sometimes used when the initial interview is inconclusive, and issues remain unresolved.⁹⁶ Some children may have difficulty establishing trust with the interviewer during the initial session and need more time (e.g., additional sessions) to feel comfortable discussing sensitive issues. Others may require additional time due to physical or developmental disabilities, and at times cultural factors require extended interview time. The decision to bring a child back for additional forensic interviews must be made on a case-by-case basis and involve MDT discussion, review of established criteria for FEs, consideration of the judicial process and careful analysis of the risks and benefits of the FE.





VII. Procedures for Responding to THB/CSA/CSE

Strategies for Information Sharing and Data Protection:

It is extremely important for MDT members to establish an agreed upon safe, secure method of sharing case information with one another on and offline, and storing case data. A policy should outline these procedures in detail, fully respecting the confidentiality and privacy rights of the child and family. The policy should be reviewed regularly and updated as needed. There should be a system in place to monitor compliance and address any breaches of confidentiality. Information-sharing procedures must be consistent with legal, ethical, and professional standards of practice, the UN Convention on the Rights of the Child,² and existing laws regarding data protection. These strategies may require legislation that specifically recognizes the authority of the MDT and permits data-sharing between MDT organisations, or establishment of a formal data protection protocol and agreement.

Information sharing may or may not involve a shared database with MDT members entering case data as it is obtained, and accessing data entered by others as needed (various members may have differing access to information according to their roles). Potential strategies for data protection may entail online password protected databases located on a secure server; encrypted email; etc. The exact strategies used will depend on the resources, relevant laws, and other local factors.

Regardless of the specific method of sharing data, a signed release of information should be sought from the caregiver, with explanations of the nature of the MDT; who will have access to what information; and how that information will be used and protected. The release should have a specific time limit. The information sharing and data protection procedures should be explained to the child (as developmentally appropriate) and caregiver in a way they can understand. This should be done by a professional thoroughly trained in trauma-informed care, THB/CSA/CSE and issues of confidentiality and privacy, using professional interpreters as needed. Caregivers/children should be encouraged to ask questions and voice concerns. The professional should not pressure individuals to consent and should respect their wishes whenever possible. There may be exceptions to the practice of obtaining informed consent to share information (e.g., related to laws of mandatory reporting), and these should be specifically addressed in the policy on information sharing and confidentiality.

Children who have experienced THB/CSA/CSE, and their caregivers understandably have deep concerns about privacy and confidentiality regarding the very sensitive information they share. Consistent with their basic right to obtain information, they need to be aware of information-sharing strategies and limits of confidentiality early on in conversations so that they can decide what information to disclose. MDT members should consider very carefully what information must be shared with others, confining it to data that is directly relevant to the case and to the safety/wellbeing of the child.

[Insert specific details about information-sharing and data protection policies including how information will be communicated among MDT members, who will obtain the consent to release information (ROI), where this ROI will be documented, and how child and family confidentiality and privacy will be ensured.]

Cross-reporting:

When an allegation of THB/CSA/CSE has been made, it is important for law enforcement and the agency/organisation responsible for child protection/child welfare to notify one another promptly (within timeframes established by the protocol) so that arrangements may be made to collaborate on components of the response. In some jurisdictions, additional organisations/agencies may be included in this process of immediate notification (for example, prosecutors, relevant NGOs or health providers). A formal process for cross-reporting is a necessary element of the MDT protocol; this may take the form of a flow diagram indicating reporting processes for all pathways of entry into the THB/CSA/CSE investigation/services. The MDT should identify multiple ways vulnerable children may be identified by professionals and reported for concerns of THB/CSA/CSE, in order to minimise the risk of affected children being overlooked. Notification of designated MDT members should occur within timeframes specified by policy.

[Insert specific details describing the cross-reporting process between law enforcement and child protective service agencies, as well as any other MDT agency/organisation that requires immediate notification of an allegation. Possible strategies include establishing a central ‘hotline’ that receives reports from all stakeholders, with staff subsequently notifying relevant MDT members via text message, or telephone calls; or establishing an app that automatically notifies key MDT members whenever a report is received. Specify designated timeframes within which notifications must be made]

Joint response:

Joint response activities include a range of cooperative efforts between MDT members, including, but not restricted to, the following:

- Two or more members co-participating in or observing an interview of witnesses and stakeholders.
- MDT members observing another member conduct a forensic interview of the child.
- Members sharing information about interviews previously conducted by one party (e.g., the child protection worker shares with law enforcement relevant information obtained during a conversation with the non-offending caregiver).
- Discussion among MDT members prior to an interview to determine relevant questions to be asked.
- An MDT member reviewing their report with one or more other members to explain the content and conclusions, discuss next steps and facilitate referrals for services (e.g., healthcare provider discussing results of forensic examination with law enforcement and communicating with NGO staff regarding child/family service needs identified during the medical visit).
- Sharing other information relevant to the case, such as photographs, and information from records regarding prior assessments/investigations involving the child, family, or alleged offender.
- Communicating among MDT members to follow up on earlier activities, referrals, etc., as well as to manage misinformation and disinformation that may arise during an investigation.

[Insert specific details describing any further strategies for joint responses.]

Flow Diagram of Entire Investigation/Service Provision Process

The MDT should establish and implement a formal step-by-step- process for receiving reports of suspected THB/CSA/CSE, conducting criminal investigations and psychosocial assessments, obtaining necessary child/family services, prosecuting the criminal case and ensuring appropriate post-investigative follow up of holistic child/family services. This should be outlined in one or more flow diagrams.

Multidisciplinary Case review

(NOTE: Case review meetings may be prohibited by law/policy and new legislation or other measures may be required to engage in this very important activity.)

The MDT should meet regularly _____ to discuss active THB/CSA/CSE cases. The meetings should be scheduled and facilitated by the MDT coordinator (*alternatively* _____). An agenda and a list of cases should be distributed _____. Members are expected to review the agenda and come ready to report updates on the listed cases. Members may request discussion of other cases, but sufficient time must be given to the coordinator to include this information on the agenda. At the outset of each meeting the facilitator should review the goals of the session and confidentiality requirements. The participant sign-in sheet should include a commitment to maintain confidentiality.

The purposes of the case review meetings are to:

1. Ensure MDT members are aware of relevant information to help guide the investigation and plan appropriate child/family services for active cases
2. Discuss potential harm to children, including risk of re-victimisation, and plan steps to promote safety
3. Foster appropriate referrals to meet the needs of the child and family
4. Ensure child/family services are delivered
5. Ensure that child centred, rights based, trauma informed, and culturally responsive strategies are used whenever MDT members interact with children and caregivers
6. Clarify apparent discrepancies, resolve issues, and answer questions to facilitate the investigation and service provision
7. Continue to cross-train on roles/responsibilities of MDT members
8. Foster networking and collaboration between MDT members
9. Discuss emerging and evolving trends in Crimes Against Children
10. Conduct analyses of mitigation processes and procedures to examine Strengths; Weaknesses; Opportunities; Threats related to MDT functioning (SWOT analysis)
11. In some jurisdictions, meetings may also serve as venues for short continuing education opportunities (invited speakers) and for representatives from new NGOs to describe their services. They may also provide the opportunity for respectful peer review to increase MDT member knowledge and improve skills.
- 12.

Feedback System and Conflict Resolution:

To ensure optimal care for vulnerable children and their families, it is important to have in place a formal system for receiving and appropriately responding to positive and negative input regarding MDT functioning. This system should be available and easily accessible to all stakeholders, including children, family members, MDT members and other professionals. The feedback submitted should be reviewed by the MDT coordinator and relevant MDT members, with involvement of the steering committee as indicated. An MDT code of conduct, professional ethical standards, and/or relevant agency code of conduct should be used to assess and manage issues. If a complaint involves the MDT coordinator, a member of the steering committee should provide the initial review, with subsequent evaluation by the committee. If a complaint involves a steering committee member, that individual should recuse themselves from the evaluation process. Feedback obtained through the system should be evaluated regularly and used to modify and improve the protocol and the MDT process.

In the course of collaborating on difficult and highly stressful cases of THB/CSA/CSE, conflict among MDT members is inevitable. While many conflicts may be resolved informally, or with involvement of MDT agency supervisors, some may be relatively complicated and may require involvement by leadership of the MDT. It is important to have a formal conflict resolution process in place that is familiar to all team members and rigorously followed. This process should describe the activities, roles, and responsibilities of relevant members as they review, discuss, resolve, and document conflicts. Periodic review of documentation regarding MDT conflicts will assist the steering committee in initiating important systems change to improve the overall collaboration process and the efficiency of the MDT.

Documentation of anonymous feedback and instances of conflict between MDT members, including steps taken to address the issues, should be stored securely, and with rigorous protection of confidentiality.

[Insert a description of the specific strategies to be used for stakeholder feedback and conflict resolution. Examples of strategies for anonymous feedback include suggestion boxes available at sites where children and caregivers interact with MDT professionals; an online form available on the MDT agency websites to submit anonymous feedback, or surveys distributed to stakeholders. An example of conflict resolution may include the following: The MDT coordinator is notified of the conflict by another MDT member or by the members involved in the conflict. The coordinator interviews the involved parties and gathers relevant information. They present this information to the steering committee, who discuss the information and decide on an appropriate course of action. The coordinator summarises the conflict in a confidential log with appropriate redaction of identifying information, and outlines the outcome of the process, including recommendations for change. The log of MDT conflict management is reviewed periodically by the steering committee to help drive MDT evaluation and improvement.]



VIII. Prevention of THB/CSA/CSE

Actions to prevent THB/CSA/CSE may occur at the primary, secondary and tertiary levels.⁹⁷

- Primary prevention: Strategies targeting the general population that are designed to prevent THB/CSA/CSE from occurring. Goals may include raising public awareness and empowering stakeholders to address exploitation and abuse. Examples of primary prevention efforts include public awareness campaigns, and education on THB/CSA/CSE in schools.
- Secondary prevention: Strategies targeting individuals with one or more vulnerabilities to THB/CSA/CSE, with the goal of preventing abuse/exploitation and/or detecting it at its earliest stages. Examples include screening procedures, and programs supporting street-based youth.
- Tertiary prevention: Strategies directed toward those who have already experienced THB/CSA/CSE, with the goals of minimising harm and preventing recurrence. Examples include family services, immigration relief, and mental health services.

Members of the MDT may participate in prevention efforts at all levels, and/or refer children and families to organisations providing secondary and tertiary preventive services. It is important for all MDT members to be aware of prevention programs and services available to children and families at risk for and experiencing THB/CSA/CSE and be familiar with their services and eligibility criteria. In turn, the data derived from MDT activities can help inform prevention programs, as community or national trends emerge and child/family needs change.

Capacity-building for all 3 levels of prevention is central to success.⁹⁸ The MDT can facilitate training and awareness of THB/CSA/CSE prevention strategies among its members and their associated agencies/organisations, in addition to working with other professionals within law enforcement, medical and mental health, education, public health and social services. They can educate families and children about THB/CSA/CSE and refer families for services that address vulnerabilities and help minimise the risk of abuse/exploitation. They can provide critical information to professionals and the public regarding the harm associated with social stigma, bias and discrimination that often impact children and families experiencing THB/CSA/CSE. They can educate the public about victimisation of boys and address harmful cultural attitudes surrounding gender roles and expectations that inhibit boys from disclosing THB/CSA/CST and lead to stigmatisation and alienation of males who experience victimisation.

[Insert list of THB/CSA/CSE prevention programs and initiatives, with contact information. Include programs addressing risk factors for THB/CSA/CSE (for example, domestic violence prevention programs.)]




IX. Monitoring and Evaluation (M and E) of the MDT²⁹

Monitoring and evaluation are critical to the success of a multidisciplinary team.¹¹ Continuous data collection and periodic analysis identify strengths and weaknesses in MDT collaboration and inform quality improvement strategies that will maximise efficiency and improve outcomes. Data analysis also identifies important trends in THB/CSA/CSE which, when shared with key stakeholders, may inform legislative initiatives and policy decisions. Data from the MDT can help drive prevention initiatives and increase awareness of child abuse and exploitation in the region. Any information that is shared outside the MDT is anonymous, consisting of compiled, de-identified data.

Possible M and E strategies include:

- A secure database of cases that includes demographic data, information regarding the THB/CSA/CSE allegations, MDT members involved, results of specialty evaluations (e.g., medical; forensic laboratory); investigation and prosecution outcomes, child/family services recommended; and services obtained by the family
- Qualitative surveys of MDT members regarding their perceptions of the successes and challenges in the collaboration process, and suggestions for improvement
- Feedback from children/families who have been served by the MDT. This may take the form of surveys, interviews, etc. that occur immediately after a service is delivered, as well as after a fixed follow-up period.
- Feedback from professionals who interact with MDT members but who do not belong to the team.

A detailed list of potential monitoring and evaluation variables is available.¹¹





X. Secondary traumatic stress among professionals

“The expectation that we can be immersed in suffering and loss and not be touched by it is as unrealistic as expecting to be able to walk through water without getting wet.” (Remen, 2006)

When working with children and families who have experienced THB/CSA/CSE, MDT members are exposed to graphic descriptions of abuse, exploitation, and cruelty. This can result in professionals developing ‘secondary traumatic stress’ (e.g., symptoms of post-traumatic stress disorder that occur as a result of learning about trauma experienced by others) (STS) and/or ‘vicarious trauma’ (e.g., changes in a person’s views of the world in response to learning of trauma experienced by others) (VT).^{99,100} Individuals respond differently to adversity (our own or someone else’s), depending on a variety of factors such as temperament, coping style, work habits, prior history of trauma, and social support. STS and VT can be distressing and disruptive to those who experience it, impacting their personal and professional lives.


Some potential signs of STS/VT include:⁹⁹

- Feeling:
 - Overwhelmed
 - Angry/irritable
 - Isolated/alienated
 - Anxious
 - Depressed
 - Cynical about work, about humanity, etc.
- Experiencing:
 - Intrusive thoughts
 - Sleep problems (e.g., nightmares, insomnia)
 - Problems with sexual intimacy
 - Numbness
 - Exhaustion
 - Difficulty concentrating, planning, making decisions
 - Pain (e.g., headaches, neck pain, back aches)
 - Paranoia
- Avoiding contact with certain families/children
- Acting impulsively, taking unnecessary risks

Strategies for preventing and reducing STS/VT may be implemented at the personal, professional and organisational levels.¹⁰¹ See **Table 6**.

Table 6: Strategies for Addressing Secondary Traumatic Stress and Vicarious Trauma.^{102,103}

Personal Strategies	Professional Strategies	Organisational Strategies
Identify one or more supportive individuals who understand STS/VT	Respect boundaries (yours and others')	Encourage a culture that acknowledges work-related stress and fosters support and recovery
Engage in regular exercise	Know and accept your limitations; have reasonable expectations	Organise staff debriefing sessions after very stressful events
Work on hobbies, engage in enjoyable activities	Avoid assuming responsibility for other people's problems	Ensure supervisors are aware of STS/VT and of strategies to support staff
Examine and adjust work/life balance	Share with others (de-brief, but do not traumatise peers)	Accommodate staff with STS/VT (ex., time off; reorganisation of activities, of schedules)
Do not bring work home with you	Obtain ongoing professional training (general topics or training relating to STS/VT)	Provide psychological support for those with STS/VT symptoms
Maintain a healthy diet	Prepare/plan for stressful aspects of work (ex., arrange schedule to perform stressful work when you have maximum energy)	Organise well-being activities for staff
Practice relaxation, mindfulness exercises	Monitor yourself for signs of stress	Ensure hiring process is transparent about stress encountered in work
	Be aware of your own emotional reactions and distress when confronting others' traumatic experiences and know what traumatic material may trigger you	Provide staff training on STS/VT recognition and management, including self-assessment strategies and stress management techniques





XI. Dissemination and Maintenance of Protocol

To be effective, the MDT protocol must be easily accessible to all staff of the MDT agencies and organisations, as well as to frontline professionals who may refer children for services and investigation of suspected THB/CSA/CSE. Strategies for dissemination may include one or more of the following:

- Translation of the MDT protocol to other languages used in the community/region/country.
- Regular training on THB/CSA/CSE and the protocol (stand-alone training and/or inclusion at agency/organisation staff meetings)
- Regular email or social media notifications regarding the MDT, with links to the protocol
- Online self-paced module describing the MDT protocol, available for new employees as well as established staff (annual supplementary training)
- Checklist and pocket manuals for quick reference to MDT processes and procedures

[Insert additional strategies for dissemination as indicated.]

An effective protocol must reflect new policies and legislation, as well as the changing dynamics of THB/CSA/CSE and the changing needs of affected children and their families. The protocol should be reviewed and revised by the steering committee or a designated work group every _____ years (or sooner, if significant changes are indicated before that time).



Conclusions

This Multidisciplinary Teams (MDTs) Framework provides a template for development of a MDT protocol addressing THB/CSA/CSE at the community, regional or national level. It assists professionals in caring for affected children and their families in ways that minimise emotional distress and re-traumatisation during the intervention process. The framework offers advice and space to tailor a protocol that is relevant to local and national needs and conditions.

The framework touches upon every aspect of the care process, from the development of an MDT, to the creation of a memorandum of understanding, descriptions of roles and responsibilities, as well as information-sharing and collaborative processes. It describes the child-centred, trauma-informed, rights-based, and culturally responsive approach to interacting with children and families. It provides guidance on speaking with children of varying ages and developmental status, and outlines the procedures for responding to THB/CSA/CSE. The framework discusses THB/CSA/CSE prevention, as well as monitoring and evaluation of MDT compliance and impact. It addresses secondary traumatic stress among MDT professionals. The framework also offers important learning points on risk factors and potential indicators of THB and CSA/CSE, and provides key resources to further assist in MDT development.

Appendix A: Sample Memorandum of Understanding (MOU)

This memorandum of understanding (MOU) and associated protocol represent a commitment by social service and criminal justice agencies, as well as relevant child-serving organisations in _____ to participate in multidisciplinary collaboration to identify, assess and serve children who have experienced THB/CSA/CSE and their families, and to investigate and prosecute offenders. With a goal of improving the response to THB/CSA/CSE in _____, the undersigned agencies and organisations commit to engaging in the cooperative, collaborative practices outlined in the protocol, and to periodically reviewing and revising the protocol as conditions change. They commit to providing necessary resources, technology, funding and staff time to facilitate MDT success and sustainability.

The protocol is not intended to, does not, and may not be relied upon to create any rights, substantive or procedural, enforceable at law by any party in any matter civil or criminal. The protocol shall not limit or otherwise restrict a prosecuting attorney in the exercise of his or her discretion nor in the exercise of any otherwise lawful litigative prerogatives. The law controls the provisions of the protocol. The protocol does not replace agency/organisation policies and procedures.

MDT members will:

- a. Adhere to the protocol to the extent possible unless special circumstances dictate an alternative approach that supports the best interest of the child.
- b. Make the best interest of the child the highest priority in any decision or action impacting the child/family.
- c. Receive training regarding:
 - i. **The MDT protocol:** All members of the MDT will receive training on the purpose and appropriate use of the protocol, strategies for effective communication and collaboration, and cross-training between team members, so professionals fully understand the roles, responsibilities and limitations of each agency involved. Training will be repeated regularly, to educate new members and remind existing members of key concepts and updates to laws and policies.
 - ii. **THB/CSA/CSE:** Training will include the definitions, scope, and dynamics of THB/CSA/CSE, with an emphasis on local and national conditions. Risk factors, potential indicators, and challenges to identification will be discussed, as well as strategies for recognizing children experiencing or at risk of THB/CSA/CSE. Characteristics of offenders, as well as strategies used for recruitment and control of targeted children will be described. Training will address the impact of traumatic experiences on child physical and mental health, and ways MDT professionals may support the child and family in recovery. Available community services will be reviewed. Training will involve discussion of the negative impact of stigma as well as strategies to increase cultural responsiveness. The recognition of, and appropriate response to one's own biases and the discriminatory behaviour of others will be discussed.
 - iii. **Additional training specific to the professional roles of MDT members** is also indicated, per agency/organisation protocol (e.g., investigative techniques related to cybercrime for use by law enforcement; skills for mental health professionals when working with children who experience THB/CSA/CSE).
 - iv. **The child-centred, rights-based, trauma-informed, and culturally responsive** approach to working with children of varying developmental capacities and ages, and with families. See **Section III**.

- d. Attend scheduled continued educational sessions throughout the year (this may entail guest speakers presenting at MDT meetings on issues related to THB/CSA/CSE).
- e. Ensure that any action taken on the case does not place the child or family at increased risk of harm, or minimises potential harm.
- f. Practise a child-centred, rights-based, trauma-informed, and culturally responsive approach to working with children and families.
- g. Share case information appropriately with the child and non-offending caregiver (respecting their rights to access information while obeying laws and policies surrounding privacy/confidentiality, respecting ethical and professional standards of practice, and protecting the integrity of criminal investigations). Verbal and written information should be conveyed in the preferred language of the child/family in a way that both child and caregiver can understand. Questions should be encouraged and answered with all possible transparency.
- h. Respect the child and family's rights to a voice in decisions affecting them by actively seeking their input throughout the duration of the case. Information provided to the child, and consideration of their requests should be consistent with their developmental stage and cognitive abilities.
- i. Take steps to minimise repetitive questioning of children and non-offending caregivers by sharing information, co-attending forensic interviews, and collaborating on activities related to the assessment and investigation of the case.
- j. Take steps to ensure that all the adults around the child are protective and will not pressure the child to disclose, withhold or retract information.
- k. Prioritise family preservation when in the best interest of the child; when not feasible, consider providing specialised care outside the child's home/family. (e.g., temporary measures in organisations or specialised care centres serving children who have experienced THB/CSA/CSE).
- l. Treat other professionals, children, and families with dignity, respect and compassion.
- m. Provide services that are free of bias and discrimination against families, children, and other professionals. MDT members will take action if bias/discrimination is exhibited by others in the workplace, consistent with agency/organisation policies and procedures.
- n. Collaborate and coordinate with other involved MDT agencies, sharing relevant information, decisions and actions consistent with privacy and confidentiality laws and policies. Maintain open communication with others involved in the case, as much as possible.
- o. Participate in regular MDT meetings to discuss collaboration/coordination efforts and current cases. These meetings should be closed to the public.
- p. Participate in, and abide by, the MDT conflict resolution process as needed (see protocol).
- q. Designate a professional to serve as MDT coordinator, and provide adequate funding to cover this position.
- r. Create a protocol steering committee that oversees protocol implementation and meets at least annually for the purpose of evaluating the effectiveness of the protocol and appropriately modifying its provisions.
- s. If communicating with the media, will rigorously follow ethical and professional standards that protect child/family confidentiality and privacy, and avoid victim-blaming, bias, and discrimination. An example of ethical guidelines is available (<https://sahil.org/>).

Participating agencies and any MDT coordinating body/agency commit to:

1. Providing adequate resources for staff to engage in MDT practices (e.g., staff to attend meetings, engage in joint response activities, etc.).
2. Contributing resources to the steering committee, and MDT coordinator as indicated
3. Ensuring that staff participating on the MDT have relevant experience, knowledge and skills working

with children who have experienced THB/CSE/CSA, and receive support engaging in continued professional development.

4. Ensuring appropriate measures are implemented to protect child/family privacy and confidentiality.
5. Supporting the procedures for conflict resolution among MDT members (see protocol).

This MOU is valid for _____ years.

By signing below, signatories indicate adoption of this MOU and the corresponding protocol on Child Sexual Abuse, Exploitation and Trafficking in Human Beings.

Appendix B: Risk Factors & Potential Indicators of THB/CSA/CSE

There are a variety of factors that may increase the risk for THB/CSA/CSE, and these exist at the individual, relationship, community and societal levels.¹⁰⁴ However, it is important to note that some victimised children may lack obvious risk factors, while others may have a few or many.¹⁰⁵ Similarly, the presence of one or more risk factors does not guarantee that a child has experienced THB/CSA/CSE. It does mean that additional questions may need to be asked, and services provided to address the factors that render the child or family vulnerable.

There are relatively few 'indicators' of THB/CSA/CSE that definitively identify the child as a victim (e.g., sperm identified in the vagina of a prepubescent girl). Most potential indicators ('red flags') of abuse and exploitation are relatively nonspecific and may be seen in children who have not experienced THB/CSA/CSE. These may be attitudes, statements and behaviours that reflect trauma of other types, such as exposure to community violence, separation from a loved one, etc. Or they may have nothing to do with trauma, but instead reflect individual variation along a developmental spectrum. Finally, just as with risk factors, a child who has experienced THB/CSA/CSE may or may not demonstrate red flags/indicators that assist in identification of victimisation.

Risk Factors¹⁰⁶⁻¹¹⁰

INDIVIDUAL (factors related to the child)

- History of sexual abuse
- History other maltreatment
- Street-based living
- Disability
- Member of a marginalised group
- Unaccompanied or accompanied migrant/refugee or internally displaced minor
- Lesbian/Gay/Bisexual/Transgender/Queer/Questioning/Other status (LGBTQ+)

RELATIONSHIP (factors present within the family or peer groups)

- Family violence
- Family poverty
- Family dysfunction (e.g., parental mental health issues, substance misuse, criminality)
- Parental history of child sexual abuse
- Forced migration
- Intolerance of LGBTQ+ status

COMMUNITY (factors characterising a community that render all children in that community at increased risk)

- Tolerance of sexual exploitation and violence
- High crime rate
- Lack of community resources/support
- Transient male populations

SOCIETAL (factors characterising a society or involving large populations that facilitate or condone THB/CSA/CSE)

- Gender-based violence & discrimination
- Cultural attitudes/beliefs (e.g., homophobia, transphobia, etc.)
- Systemic and historical racism/discrimination
- Natural disasters
- Political or social upheaval/economic instability or crisis/armed conflict/pandemic

Potential Signs of *Online Abuse*¹¹¹ (*These are especially concerning if they represent new behaviours and conditions*)

Late night use of device
Increased screen time or sudden decrease in use
Stress around the need to be online
Secretive use/hiding screen from others/hiding devices
Angry or withdrawn when online
Many new contacts or followers
Poor academic performance (especially if this represents a change)
Mental health issues
Withdrawal from friends and family
Multiple phones
New and unexplained gifts or money

Potential Emotional and Behavioural Signs of THB/CSA/CSE^{86,112}

Please also see Table 5 for nonspecific reactions to trauma

CHILD	TRAFFICKER (OR PERSON ASSOCIATED WITH TRAFFICKER)
Spends more time outside home without providing any details to caregivers	Insists on speaking for child
Demonstrates inappropriate sexual behaviour	Does not know much about child
Has fear of being alone	Is resistant to leaving child alone with professional
Is afraid of specific people, situations	Is reluctant to answer questions about child
Demonstrates self-harm behaviour	Shows hostility, aggression toward child

Gives scripted or apparently inconsistent information to professional	Provides apparently inconsistent information to professional
	Has control of child's identification documents

Potential Physical Signs of THB/CSA/CSE¹¹³⁻¹¹⁹

Genital discharge, pain, and/or itching
Vaginal bleeding (non-menstrual)
Painful urination or defecation
Genital or anal injury
Injuries elsewhere on the body that appear inflicted
Work-related injuries
Sexually transmitted infection (especially multiple)
Unwanted teen pregnancy
Evidence of substance misuse (e.g., scarring along veins of extremities)
Chronic pain (e.g., headaches, stomach aches, muscle pain)
Exhaustion

Appendix C: Links to Important Resources

Child Rights

1. United Nations Convention on the Rights of the Child, Committee on the Rights of the Child: General comment No. 14 (2013) on the right of the child to have his or her best interests taken as a primary consideration (art. 3, para. 1) Guidance from the UN regarding how to determine the best interests of the child:
 - a. <https://www.icj.org/wp-content/uploads/2014/10/General-Comment-CRC-14-Right-to-have-best-interests-taken-as-primary-consideration-art-3-para-1-2013-eng.pdf>

Violence Against Children Country Reports

1. Violence Against Children and Youth Surveys (VACS)
 - a. <https://www.cdc.gov/violenceprevention/childabuseandneglect/vacs/reports.html>

Sample standards for one-stop collaborative centres

2. One stop crisis centre: Policy and guidelines for hospitals, Ministry of Health, Malaysia
 - a. [file:///C:/Users/riley/Downloads/OSCC_policy%20\(1\).pdf](file:///C:/Users/riley/Downloads/OSCC_policy%20(1).pdf)
3. One-Stop Centre guidelines and scheme, Ministry of Health, India:
 - a. <https://wcd.nic.in/schemes/one-stop-centre-scheme-1>
4. Barnahus quality standards: Guidance for multidisciplinary and interagency response to child victims and witnesses of violence
5. National Children's Alliance: Standards for Accredited Members
 - a. <https://www.cacnd.org/wp-content/uploads/2017/10/NCA-Standards-for-Accredited-Members-2017.pdf>
6. National Optional Standards of Accreditation for Children's Advocacy Centres:
 - a. <https://incacs.org/wp-content/uploads/2022/07/2023-nca-optional-standards.pdf>

National and Transnational Referral Mechanism Resources

1. National referral mechanisms: Joining efforts to protect the rights of trafficked persons: A practical handbook: 2nd edition
 - a. <https://www.osce.org/odihr/NRM-handbook>
2. Improving the communication and coordination among the NRM actors in MARRI participants: Practical guidance
 - a. <https://op.europa.eu/en/publication-detail/-/publication/d5542e9c-0e92-11eb-bc07-01aa75ed71a1/language-en>
3. Guidelines for the development of a transnational referral mechanism for trafficked persons: South-Eastern Europe
 - a. https://pdf.usaid.gov/pdf_docs/PNADS413.pdf;

Forensic Interviews of Children

1. Achieving best evidence in criminal proceedings: Guidance on interviewing victims and witnesses, the use of special measures, and the provision of pre-trial therapy. Department of Justice UK.
 - a. <https://www.justice.nigovuk/publications/guide-achieving-best-evidence-practitioner-guide>; accessed on 8/22/22. 2012.

2. Investigative interviews with children. Odeljan R, Butorac K, Bailey A. European Police Science and Research Bulletin. 2015;Summer(12):18-24.
3. The Cornerhouse forensic interview protocol: RATAC, Anderson J, Ellefson J, Lashley J, Miller A, Oliinger S, et al.
 - a. https://www.cornerhousemn.org/images/CornerHouse_RATAC_Protocol.pdf. Accessed on 5/29/17.
4. The NICHD protocol: A review of an internationally-used evidence-based tool for training child forensic interviewers. La Rooy D, Brubacher SP, Aromaki-Stratos A, Cyr M, Hershkowitz I, et al.. J Criminological Research, Policy & Practice. 2016;2:76-89.
5. Lamb ME, Orbach Y, Hershkowitz I, Esplin PW, Horowitz D. A structured forensic interview protocol improves the quality and informativeness of investigative interviews with children: a review of research using the NICHD Investigative Interview Protocol. Child Abuse Negl. 2007;31(11-12):1201-1231.

Medical Management of THB/CSA/CSE

7. Responding to children and adolescents who have been sexually abused: World Health Organisation Guidelines, 2017
 - a. <https://apps.who.int/iris/bitstream/handle/10665/259270/9789241550147-eng.pdf>
8. Technical report: W.H.O. guidelines for the health sector response to child maltreatment. 2019
 - a. https://www.who.int/violence_injury_prevention/publications/violence/Technical-Report-WHO-Guidelines-for-the-health-sector-response-to-child-maltreatment-2.pdf
9. Caring for child survivors of sexual abuse: Guidelines for health and psychosocial service providers in humanitarian settings; UNICEF and International Rescue Committee; 2012
 - a. <https://www.unicef.org/documents/caring-child-survivors-sexual-abuse>
10. Sexually transmitted infection treatment guidelines; Centres for Disease Control and Prevention; 2021
 - a. <https://www.cdc.gov/std/treatment-guidelines/default.htm>
11. Clinical report: Exploitation, labor and sex trafficking of children and adolescents: Health care needs of patients. Greenbaum, J., Kaplan, D., Young, J., AAP Council on Child Abuse and Neglect, & Health, Council on Immigrant Child and Family Health
 - a. <https://publications.aap.org/pediatrics/article/151/1/e2022060416/190310/Exploitation-Labor-and-Sex-Trafficking-of-Children?autologincheck=redirected>
12. Improving physical and mental health care for those at risk of, or experiencing human trafficking & exploitation: The complete toolkit, 2nd edition, International Centre for Missing and Exploited Children, 2022
 - a. <https://www.icmec.org/healthportal-resources/topic/human-trafficking-toolkit/>
13. Physical examination in child sexual abuse: Approaches and current evidence, Herrmann B., et al., 2014
 - a. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4215093/>

United Nations Convention on the Rights of the Child
Council of Europe Convention on the Protection of Children Against Sexual Exploitation and Sexual Abuse (Lanzarote Convention)
American Convention on Human Rights: Pact of San José de Costa Rica.
United Nations Convention against Transnational Organised Crime and the Protocols Thereto
Optional Protocol to the Convention on the Rights of the Child on the sale of children, child prostitution and child pornography
The Rio de Janeiro Declaration and Call for Action to Prevent and Stop Sexual Exploitation of Children and Adolescents
Declaration on the Protection of Children from all Forms of Online Exploitation and Abuse in ASEAN

Regional Legal Instruments

1. ASEAN Convention Against Trafficking in Persons, Especially Women and Children
2. SAARC Convention on Preventing and Combating Trafficking in Women and Children for Prostitution
3. Council of Europe Convention on Action against Trafficking in Human Beings
4. [Directive 2011/36/EU on preventing and combating trafficking in human beings and protecting its victims](#)

International Labour Organization (ILO) Conventions

1. ILO Forced Labour Convention (Convention No. 29 of 1930)
2. ILO Abolition of Forced Labour Convention (Convention No. 105 of 1957)
3. ILO's Worst Forms of Child Labour Convention (Convention No. 182 of 1999)
4. ILO Domestic Workers Convention (Convention No. 189 of 2011)

Special Procedures of the UN Human Rights Council Relevant to THB/CSA/CSE

1. Special Rapporteur on trafficking in persons, especially women and children;
2. Special Rapporteur on the sale of children, child prostitution and child pornography;
3. Special Rapporteur on contemporary forms of slavery, including its causes and its consequences.

Other International Legal Instruments

1. Universal Declaration of Human Rights of 1948
2. Optional Protocol to the Convention on the Rights of the Child on the Involvement of Children in Armed Conflict of 2000

3. The International Covenant on Civil and Political Rights of 1966
4. International Covenant on Economic, Social and Cultural Rights of 1966
5. Convention against Torture of 1984
6. Convention on the Elimination of All Forms of Discrimination against Women of 1979
7. Convention on the Elimination of All Forms of Racial Discrimination of 1965
8. Convention on the Rights of All Migrant Workers and Members of their Families of 1990
9. Convention on the Rights of Persons with Disabilities of 2006
10. Hague Convention on Protection of Children and Cooperation in respect of Inter-Country Adoption of 1993
11. Supplementary Convention on the Abolition of Slavery, the Slave Trade and Institutions and Practices Similar to Slavery of 1956

Appendix E: Ethical Issues Related to Special Populations

Children identifying as lesbian/gay/bisexual/transgender/queer/ or other (LGBTQ+):^{108,120-123}

Children with non-binary gender identity or non-heterosexual orientation may experience mild to extreme stigma and discrimination by the lay public and professionals. Due to their social marginalisation, they are at increased risk for THB/CSA/CSE, as well as other forms of violence. Emotional and physical trauma, and discrimination may occur at the hands of authorities and child-serving professionals. The stigma associated with LGBTQ+ identification may inhibit a child's ability to disclose their victimisation and seek services; it may negatively impact the services provided, and result in unmet needs and further harm. It is extremely important that all MDT members be aware of and able to manage their own biases regarding LGBTQ+ issues, and provide non-discriminatory, empathic, non-judgmental care. MDT members should advocate with the public and with colleagues to provide equal access to high quality care for all children regardless of their sexual orientation or gender identity and provide special measures to protect the fundamental rights of LGBTQ+ children and youth. (NOTE: Existing laws may limit efforts to optimally serve children identifying as LGBTQ+, although respect for their basic human rights as outlined in the UN Convention on the Rights of the Child must remain the highest priority.)

Children with Disabilities/Special Needs¹²⁴⁻¹²⁸

Children with emotional, physical, developmental and/or intellectual disabilities/special needs are at increased risk for violence at the hands of others. They may have difficulties understanding the abusive/exploitative situation and communicating with others about their experience. Signs of abuse/exploitation may be misinterpreted as manifestations of the disability so that vulnerable children are not recognized as such and not given needed protection and services. It is important for MDT members to receive training on 1) the intersection of child disability and vulnerability to THB/CSA/CSE, and 2) appropriate ways to work with affected children and their families. Members need to ensure that children with disabilities have access to all services, with special accommodation as needed.

Children of racial/ethnic/religious/political/or cultural minority status and foreign-born individuals¹²³

Children with a history of THB/CSA/CSE often experience marginalisation, discrimination, and bias, not only related to their involvement in exploitation (e.g., 'prostitution'; forced criminality), but also to their cultural, racial, ethnic, political, or religious status. These harmful attitudes and actions may be expressed by members of the dominant culture, or by those within the child's culture. Additional marginalisation may arise from biases related to gender, age, geographic location, and other factors. It is critical for MDT members to be aware of the types and manifestations of bias and discrimination common within their own culture, and that of the child. They need to work continuously to identify and manage their own explicit biases and seek to uncover and address their implicit ones. The MDT needs to implement a zero-tolerance policy for bias and discrimination of any form and implement appropriate monitoring and response mechanisms that allow individuals (children, caregivers, other professionals, the lay public) to register complaints when discrimination occurs.

MDT members need to respect and meet the unique needs of foreign-born children and those with minority

status who have experienced THB/CSA/CSE. This may involve seeking advice from cultural experts (ex., community elders, staff at migrant/refugee-serving organisations or religious leaders), receiving formal training on common beliefs and practices within relevant minority groups, facilitating focus groups of community members within a minority group to better understand views and attitudes, and ensuring ethnic and cultural diversity within the MDT. Translation of written materials and availability of trained interpreters are important. Cultural adaptation of assessment tools (e.g., screening tools, mental health assessment tools) and resources is needed. Training on common drivers of migration, the types of trauma often experienced before and during migration and common post-migration challenges will assist MDT members in understanding the perspective of foreign-born children and families. Innovation and creativity may be required to identify strategies to meet the needs of these children in the context of barriers imposed by policy and legislation (e.g., lack of access to free healthcare). Community advocacy to change legislation may also be needed.

Boys as Victims of THB/CSA/CSE^{110,123,129-134}

Strict gender roles and expectations in many cultures contribute to misperceptions that boys are not vulnerable to sexual abuse, violence and exploitation. The 'machismo' culture expects boys to be leaders, protectors, and to be fully capable of defending themselves. A male who is victimised may be perceived by others (and himself) as 'weak', feminine and/or incapable of 'being a man.' These cultural views make it extremely difficult for victimised boys to disclose their THB/CSA/CSE experiences, and to seek help. And if they do disclose, the adults charged with protecting children may react with disbelief, criticism, and rejection. Boys may be treated as criminals in need of punishment instead of victims in need of assistance. It is extremely important that MDT members receive training on the vulnerabilities of males to THB/CSA/CSE; how gender roles and cultural attitudes negatively influence disclosure of abuse and exploitation, and how social stigma and discrimination regarding male victimisation can harm children and lead to poor outcomes.

Appendix F: Evidence Base for MDT Collaboration in Child Protection

Multidisciplinary collaboration in the investigation of crimes against children has been recommended in multiple international directives, conventions and reports.^{2,36,37,51,135-139} **The evidence base** for the effectiveness of an MDT model in child protection cases is relatively limited but growing.^{10,11,35,140} A search of the published literature on varied types of MDT approaches to child physical and sexual abuse found some evidence that supports the collaborative model, although results were mixed and tended to focus more on outputs related to criminal justice rather than the health and wellbeing of the child and family.^{10,141} When compared to cases managed according to standard practices, typically with no or limited organised MDT collaboration, cases involving MDTs tended to have better criminal justice outcomes associated with activities occurring relatively early in the justice process (for example, police involvement in cases).¹⁴² However, results were mixed in the effectiveness of MDT collaboration in percentage of criminal charges filed/prosecutions for abuse (positive result vs no difference), and with respect to percentage of convictions.¹⁴³ Generally, studies have shown that MDT collaboration is associated with increased referrals for mental health services,¹⁴⁴ as well as increased and/or more efficient use of mental health services.^{145,146} In a US study of group psychotherapy delivered by a child advocacy centre, post-treatment results indicated clinically significant improvements in problematic behaviour and emotional distress in sexually abused children.¹⁴⁷ Some (but not all)^{148,149} studies have found positive impacts for MDTs when examining child protection outcomes (e.g., rates of substantiation, time to substantiation, rates of referrals for services, and time to police involvement) and MDT process outcomes (e.g. increase in police involvement of cases and in joint investigations; decrease in number of interviews of the child).^{10,142,143,149,150} In an Australian study comparing a co-located MDT with a 'Practice as Usual' model, investigators found no significant differences in rates of arrests or in decisions made by child protective services.²² However, they did find significantly faster response times on a number of MDT processes, and improved collaboration between members of the co-located team. In addition, there was a perception by MDT members that the response was more victim-centred than that characterise the Practice as Usual model.

MDT training on a child-centred, trauma-informed approach to child interactions was viewed as very helpful in studies in South Africa and Zambia.¹¹ A study in the US found that MDT success was related to breadth of professional representation on the team, as well as the existence of organisations providing services to affected children and families.³⁵ When comparing MDT vs standard practice, one study found increased caregiver (but not child) satisfaction with the MDT response,¹⁵¹ and multiple studies found greater rates of children receiving medical services.^{144,150,152} A study of MDT collaboration in Malawi and Zambia demonstrated increased police referrals for health care of individuals experiencing sexual/gender-based violence (SGBV) after launching the collaborative approach, including multi-sectoral training.¹¹ Intensive, multisectoral training of MDT professionals in a Kenya study resulted in increased collaboration, improved forensic care, an increase in knowledge regarding SGBV, and increased convictions of perpetrators.¹² US law enforcement and child protective service workers participating in a qualitative study of child advocacy centre use indicated that training of MDT members was helpful in facilitating case collaboration and building morale among team members.³⁸ Participants further cited MDT meetings as playing multiple essential roles in the case process, including facilitating individual case management, and providing a forum for peer review of their work to improve knowledge and skills.

Together, these studies provide some evidence for the effectiveness of MDT collaboration of varied types,

although it is important to note that results have been mixed and not always positive.^{10,140} For example, one study found formal MDT collaboration was associated with increased rates of referrals to service agencies but no difference in family engagement or case outcomes.¹⁴⁹ Another showed that an increase in access to legal services for survivors of SGBV did not necessarily lead to increased use of those services.¹¹ Many studies attempting to measure the impact of U.S. child advocacy centres focus on relatively highly integrated, ‘full service’ centres, so that results of these studies may or may not be generalisable to MDTs that do not offer the same model of services.²⁷

The evidence base is dominated by US-based studies of child advocacy centres, and with a focus on criminal justice outputs.^{140,141} Rigorous research is needed to assess the effectiveness of other MDT models and of MDT collaboration in low- and middle-resource countries;¹¹ to identify which MDT characteristics are most effective;²⁷ and to determine which models may be most helpful in given contexts. Outcomes related to child and family functioning, safety, health and mental health, as well as child/family resilience are needed.¹⁴⁰ And it is critically important to evaluate whether the needs and *services specifically identified by the child/family as important* have actually been met. Despite the limitations in the current evidence-base, international best practices continue to include multidisciplinary collaboration, and this framework is based on existing evidence regarding the important components of a collaborative approach.

Appendix G: Template for a Directory of Community Resources

PROFESSIONAL INTERPRETERS

	Language	Name of Interpreter/ Service	Contact Information
List most common languages encountered			

THB/CSA/CSE VICTIM SERVICE ORGANIZATIONS

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Local service organisations			
National service organisations			

HOTLINES

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Anti-Trafficking Hotline			
Suicide Hotline			
Child Hotline			
Family Violence			
Missing Persons			

SHELTERS/HOUSING

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Length of Stay Permitted
Children's shelter			
Shelter for boys			
Shelter for Transgender youth			
Migrant and Refugee shelter			
Shelter for victims of domestic violence			

HEALTH AND MENTAL HEALTH SERVICES

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Local hospital			
Children's hospital			
Trauma centre			
Migrant/Refugee clinic			
Paediatrics clinic			
Reproductive health clinic and outreach services			
Termination of pregnancy services (where legalised)			
Free health clinic			
Substance abuse treatment centre (drugs, alcohol)			
Mobile clinic, outreach services			
Obstetrics and Gynaecology			
Psychiatric hospital			
Clinic with trauma- focused mental health services			
General mental health clinic			
Paediatric mental health clinic			
Therapists, counsellors, psychologists			
Traditional healers			

RELATED SERVICE ORGANIZATIONS

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Migrant/Refugee organisations			
Family violence organisations			
LGBTQ+ organisations			
Vulnerable children organisations			
Rights organisations (e.g., child, women, labour, human rights)			
Food pantries			

LEGAL AND IMMIGRATION SERVICES

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Legal aid organisations			
Immigration lawyers			
Migrant/Refugee organisations offering referrals for legal services			

EMBASSY AND CONSULAR OFFICES

Type of Organization/ Service	Name of Organization/ Service	Contact Information	Hours of operation
Embassy/Consular offices for most common populations of THB/CSA/CSE victims			

INTERNATIONAL ORGANIZATIONS

Type of Organization/ Service	Website	Contact Information
UNICEF		
International Labour Organization		
United Nations Office on Drugs and Crime		
United Nations High Commissioner for Human Rights		
UN Refugee Agency (UNHCR)		
World Health Organization		
Save the Children		
National Center for Missing and Exploited Children		
Internet Watch Foundation		
<i>Add Additional International Agencies:</i>		

References

1. OSCE, Office for Democratic Institutions and Human Rights. National referral mechanisms: Joining efforts to protect the rights of trafficked persons: A practical handbook: 2nd edition. 2022;Warsaw, Poland.
2. United Nations Human Rights, Office of the High Commissioner for Human Rights. Convention on the Rights of the Child. Available at: <http://www.ohchr.org/EN/ProfessionalInterest/Pages/CRC.aspx>; Accessed on 7/23/22. 1990.
3. International Labour Organization, Walk Free, & International Organization for Migration. (2022). Global estimates of modern slavery: Forced labour and forced marriage. Geneva, 2022, ISBN: 978-992-972-037483-037482 (web PDF)..
4. Barth J, Bermetz L, Heim E, Trelle S, Tonia T. The current prevalence of child sexual abuse worldwide: a systematic review and meta-analysis. *Int J Public Health*. 2013;58(3):469-483.
5. Cole J, Sprang G, Lee R, Cohen J. The trauma of commercial sexual exploitation of youth: A comparison of CSE victims to sexual abuse victims in a clinical sample. *J Interpers Violence*. 2016;31:122-146.
6. Ottisova L, Hemmings S, Howard LM, Zimmerman C, Oram S. Prevalence and risk of violence and the mental, physical and sexual health problems associated with human trafficking: An updated systematic review. *Epidemiol Psychiatr Sci*. 2016;CJO 2016 doi:10.1017/S2045796016000135.
7. Ottisova L, Smith P, Oram S. Psychological consequences of human trafficking: Complex posttraumatic stress disorder in trafficked children. *Behavioral Medicine*. 2018;44(3):234-241.
8. Varma S, Gillespie S, McCracken C, Greenbaum VJ. Characteristics of child commercial sexual exploitation and sex trafficking victims presenting for medical care in the United States. *Child Abuse Neglect*. 2015;44:98-105.
9. Horga I, Abaszade N. Multisectoral response to GBV. 2015;UNFPA Regional Office for Eastern Europe and Central Asia.
10. Herbert JL, Bromfield L. Better together? A review of evidence for multidisciplinary teams responding to physical and sexual child abuse. *Trauma Violence Abuse*. 2019;20(2):214-228.
11. Keesbury J, Askew I. Comprehensive responses to gender based violence in low-resource settings: Lessons learned from implementation. 2010;Population council. Lusaka, Zambia.
12. Albezreh S, Anastario M, Ulibarri BJ, et al. Multiyear, multisectoral training program in Kenya to enhance medical-legal processes in response to sexual and gender-based violence. *Violence Against Women*. 2022;1-20:DOI: 10.1177/10778012221099984.
13. Hernandez EB, Gascon LA, Sanz IF, et al. La deteccion y notificacion en casos de abuso sexual infantil en Aragon. 2011;Available at <https://www.aragon.es/documents/20127/674325/MALTRATO-2010-De-teccionNotificacionCasosAbusoSexualInfantilAragon.pdf/94f1255b-cedf-9466-bbde-813764c3c1b1>; accessed on 1/21/23.
14. Hernandez EB, Gascon LA, Sanz IF, et al. La deteccion y notificacion en casos de abuso sexual infantil en Aragon. 2012;Available at <https://www.aragon.es/documents/20127/674325/MALTRATO-2010-De-teccionNotificacionCasosAbusoSexualInfantilAragon.pdf/94f1255b-cedf-9466-bbde-813764c3c1b1>.
15. International Centre for Migration Policy Development. Guidelines for the development of a transnational referral mechanism for trafficked persons: South-Eastern Europe. 2009;Available at https://pdf.usaid.gov/pdf_docs/PNADS413.pdf; accessed on Jul 7, 2023.
16. European Parliament, Council of the European Union. Directive 2011/36/EU on preventing and

combating trafficking in human beings and protecting its victims. *Official J of the European Union*. 2011;15.4.2011:L101/101-L101/111.

17. United States Agency for International Development. Impact evaluation of the “Increasing services for survivors of sexual assault in South Africa” program: Baseline report draft. 2015; Available at <https://www.usaid.gov/documents/1866/drg-impact-evaluation-%E2%80%9Cincreasing-services-survivors-sexual-assault-south-africa%E2%80%9D>; accessed on 7/24/22.
18. Mulambia Y, Miller AJ, MacDonald G, Kennedy N. Are one-stop centres an appropriate model to deliver services to sexually abused children in urban Malawi? *BMC pediatrics*. 2018;18:145-151.
19. Olson RM, García-Moreno C, Colombini M. The implementation and effectiveness of the one stop centre model for intimate partner and sexual violence in low- and middle-income countries: a systematic review of barriers and enablers. *BMJ Global Health*. 2020;5(3):e001883.
20. Ministry of Women and Child Development, Government of India. One-stop centre scheme: Implementation guidelines for state governments/UT administrations. 2017; Available at https://wcd.nic.in/sites/default/files/OSC_G.pdf; accessed on 7/25/22.
21. Temmermen M, Ogbe E, Manguro G, et al. The gender-based violence and recovery centre at Coast Provincial General Hospital, Mombasa, Kenya: An integrated care model for survivors of sexual violence. *PLoS Med*. 2019;16(8):e1002886.
22. Herbert J, Bromfield L. Multiagency investigation and support team (MIST) pilot: Evaluation report. 2017; Adelaide: Australian Centre for Child Protection, University of South Australia.
23. Council of Europe. Protection of children against sexual exploitation and abuse: Child-friendly, multidisciplinary and interagency response inspired by the Barnahus model. 2018; Available at <https://rm.coe.int/barnahus-leaflet-en/16809e55f4>; accessed on 7/24/22.
24. National Children’s Alliance. National standards for accreditation of child advocacy centers: 2023 edition. 2023; Available at <https://www.nationalchildrensalliance.org/wp-content/uploads/2021/10/2023-RedBook-v5B-t-Final-Web.pdf>; accessed on 7/23/22.
25. Gregulska J, Healy C, Makulec A, Pertreska E, Safin D, Smetek J. Study on reviewing the functioning of member states’ national and transnational referral mechanisms. 2020; European Commission.
26. Austria FMfFaY. Handlungs orientierungen zur Identifizierung von und zum Umgang mit potenziellen Opfern von Kinderhandel. 2016; Available at Handlungs orientierungen zur Identifizierung von und zum Umgang mit potenziellen Opfern von Kinderhandel; accessed on Jul 7, 2023.
27. Herbert JL, Walsh W, Bromfield L. A national survey of characteristics of child advocacy centers in the United States: Do the flagship models match those in broader practice? *Child Abuse Negl*. 2018;76:583-595.
28. United States Department of State. Trafficking in Persons Report: July 2022. 2022; Available at <https://www.state.gov/reports/2022-trafficking-in-persons-report/>; accessed on 7/22/22.
29. Haldorsson OL, Promise Project Series. Barnahus quality standards: Guidance for multidisciplinary and interagency response to child victims and witnesses of violence. 2021; Council of the Baltic Sea States Secretariat and Child Circle; available at <https://www.barnahus.eu/en/wp-content/uploads/2020/02/PROMISE-Barnahus-Quality-Standards.pdf>; accessed on 7/25/22.
30. Watanabe Y, Shiga K, Kikuchi N, Kurihara Y, Sato A, . A regional multidisciplinary network enhances child abuse case management *Pediatr Int*. 2022;64:e15240. <http://doi.org/15210.11111/ped.15240>.
31. Sakakida C, Tadaka E, Arimoto A. Development and validation of a new Multidisciplinary Approach Competency Scale for Prevention of Child Abuse from Pregnancy (MUSCAT). *PLoS ONE*. 2021;16(4):e0249623.

32. Okato A, Hashimoto T, Tanaka M, et al. Inter-agency collaboration factors affecting multidisciplinary workers' ability to identify child maltreatment. *BMC Res Notes*. 2020;13(1):323.
33. Johnson LJ, Zorn D, Tam BKY, Lamontagne M, Johnson SA. Stakeholders' Views of Factors That Impact Successful Interagency Collaboration. *Exceptional Children*. 2003;69(2):195-209.
34. Fandino Cubillos MR, Gamez Rodriguez PV, Velasquez Aguas C, et al. Guia de recomendaciones digital para la identificación y atención inicial de niñas, niños y adolescentes víctimas de violencia sexual en el entorno digital 2020; Available at https://www.fundacionrenacer.org/wp-content/uploads/2022/06/Investigacion_impactos_2020_digital.pdf; accessed on 7/25/22.
35. Jones LM, Mitchell KJ. Predictors of Multidisciplinary Team Sustainability in Work With Child Sex Trafficking Cases. *Violence Vict*. (2):222-243.
36. Office of the Special Representative and Co-ordinator for Combating Trafficking in Human Beings, Organization for Security and Co-operation in Europe (OSCE). Uniform guidelines for the identification and referral of victims of human trafficking within the migrant and refugee reception framework in the OSCE region. In. Vienna, Austria: OSCE Office of Special Representative and Co-ordinator for Combating Trafficking in Human Beings 2019.
37. Vassileva A, Georgieva I, Bliznashka L, et al. National mechanism for referral and support of trafficked persons in Bulgaria. 2010; Sofia, Bulgaria.
38. Newman BS, Dannenfelser PL, Pendleton D. Child Abuse Investigations: Reasons for using Child Advocacy Centers and Suggestions for Improvement. *Child and Adolescent Social Work Journal*. 2005;22(2):165-181.
39. Westphal KK, Manges KA, Regoeczi WC, Johnson J, Ronis SD, Spilsbury JC. Facilitators and barriers to Children's Advocacy Center-based multidisciplinary teamwork. *Child Abuse Negl*. 2022;131:105710.
40. Jones LM, Mitchell KJ. Predictors of Multidisciplinary team sustainability in work with child sex trafficking cases. *Violence & Victims*. 2022;37(2).
41. Lundy L. 'Voice' is not enough: Conceptualising Article 12 of the United Nations Convention on the Rights of the Child. *British Educational Research J*. 2007;33(6):927-942.
42. United Nations Office on Drugs and Crime. United Nations guidelines on justice in matters involving child victims and witnesses of crime. 2006; Available at [https://www.ojp.gov/ncjrs/virtual-library/abstracts/united-nations-guidelines-justice-matters-involving-child-victims#:~:text=crime%20are%20presented.-,United%20Nations%20guidelines%20on%20justice%20in%20matters%20involving%20child%20victims,%2C%20and%20feelings%3B%20\(3\)](https://www.ojp.gov/ncjrs/virtual-library/abstracts/united-nations-guidelines-justice-matters-involving-child-victims#:~:text=crime%20are%20presented.-,United%20Nations%20guidelines%20on%20justice%20in%20matters%20involving%20child%20victims,%2C%20and%20feelings%3B%20(3)); accessed on Jun 30, 2023.
43. Consultation on Child Abuse P, World Health Organization V, Injury Prevention T, Global Forum for Health R. Report of the Consultation on Child Abuse Prevention, 29-31 March 1999, WHO, Geneva. In. Geneva: World Health Organization; 1999.
44. Greijer S, Doek J, Interagency working group on sexual exploitation of children. Terminology guidelines for the protection of children from sexual exploitation and abuse. *Luxembourg*. 2016; Available at http://www.ilo.org/wcmsp5/groups/public/---ed_norm/---ipecc/documents/instructionalmaterial/wcms_490167.pdf; accessed on 5/7/18.
45. United Nations, Task Team on the SEA Glossary for the Special Coordinator on Improving the United Nations Response to Sexual Exploitation and Abuse. UN Glossary on sexual exploitation and abuse. 2017; Available at https://hr.un.org/sites/hr.un.org/files/SEA%20Glossary%20%20%5BSecond%20Edition%20-%202017%5D%20-%20English_0.pdf; accessed on Nov 18, 2020.
46. United Nations. Protocol to prevent, suppress and punish trafficking in persons especially women and children, supplementing the United Nations convention against transnational organized crime. . Available at <http://www.ohchr.org/EN/ProfessionalInterest/Pages/ProtocolTraffickingInPersons.aspx> Accessed on 7/25/22. 2000.

47. Substance Abuse and Mental Health Services Administration. SAMHSA's concept of trauma and guidance for a trauma-informed approach. *Substance Abuse and Mental Health Services Administration*. 2014.
48. National Child Traumatic Stress Network. The 12 core concepts: Concepts for understanding traumatic stress responses in children and families. Available at http://www.nctsn.org/sites/default/files/assets/pdfs/ccct_12coreconcepts.pdf; accessed on May 17, 2020. 210.
49. American Psychiatric Association. *Diagnostic and statistical manual of mental disorders: DSM-5*. Vol 10. Washington, D.C.: American Psychiatric Association; 2013.
50. World Health Organization. Responding to children and adolescents who have been sexually abused: WHO clinical guidelines. 2017; Available at: <https://apps.who.int/iris/bitstream/handle/10665/259270/9789241550147-eng.pdf;jsessionid=37ADD6616474C995A0D79A2EE83BC1DD?sequence=1>; accessed May 12, 2020.
51. UNICEF. Guidelines on the protection of child victims of trafficking: UNICEF Technical notes. 2006; Available at <https://gdc.unicef.org/resource/guidelines-protection-child-victims-trafficking>; accessed 2/22/22.
52. Malik WA. Standard operating procedures for paralegals (lawyers' clerks/munshis and community workers) to respond to and support the survivors of child sexual abuse.
53. Hailes HP, Yu R, Danese A, Fazel S. Long-term outcomes of childhood sexual abuse: an umbrella review. *The lancet Psychiatry*. 2019;6(10):830-839.
54. Bath E, Barnert E, Godoy S, et al. Substance Use, Mental Health, and Child Welfare Profiles of Juvenile Justice-Involved Commercially Sexually Exploited Youth. *Journal of child and adolescent psychopharmacology*. 2020;30(6):389-397.
55. Hébert M, Amédée LM, Blais M, Gauthier-Duchesne A. Child Sexual Abuse among a Representative Sample of Quebec High School Students: Prevalence and Association with Mental Health Problems and Health-Risk Behaviors. *Canadian journal of psychiatry Revue canadienne de psychiatrie*. 2019;64(12):846-854.
56. Dhakal S, Niraula S, Sharma NP, et al. History of abuse and neglect and their associations with mental health in rescued child labourers in Nepal. *Aust N Z J Psychiatry*. 2019;53(12):1199-1207.
57. Ottisova L, Smith P, Shetty H, Stahl D, Downs J, ORam S. Psychological consequences of child trafficking: An historical cohort study of trafficked children in contact with secondary mental health services. *PLOS One*. 2018;13(3):e0192321. doi: 0192310.0191371/journal.pone.0192321.
58. Forkey H, Szilagyi M, Kelly ET, Duffee J. Trauma-Informed Care. *Pediatrics*. 2021;148(2):e2021052580.
59. International Centre for Missing and Exploited Children. Improving physical and mental health care for those at risk of, or experiencing human trafficking & exploitation: The complete toolkit, 2nd edition 2022; Available at <https://www.icmec.org/healthportal-resources/topic/human-trafficking-toolkit/>; accessed on 8/18/22.
60. Cyr M. *Conducting interviews with child victims of abuse and witnesses of crime: A practical guide*. Oxon, OX and New York, N.Y.: Routledge, Taylor and Francis Group; 2022.
61. Graffam-Walker A. *Handbook on questioning children: A linguistic perspective*. 3rd ed. Washington, D.C.: ABA Center of Children and the Law; 2013.
62. Lamb ME, Brown DA, Hershkowitz I, Orbach Y, Esplin PW. *Tell me what happened: Questioning children about abuse*. 2nd ed. West Sussex, U.K.: John Wiley & Sons, LTD; 2018.
63. Poole DA. *Interviewing children: The science of conversation in forensic contexts*. Washington, D.C.: American Psychological Association; 2016.
64. Justice Rapid Response. Investigating allegations of sexual exploitation and abuse of children occurring

in humanitarian settings: Reflections from practice 2022; Available at <https://www.justicerapidresponse.org/new-report-investigating-sea-of-children-in-humanitarian-settings/>; accessed on 8/2/22.

65. International Rescue Committee, UNICEF. Caring for child survivors of sexual abuse: Guidelines for health and psychosocial service providers in humanitarian settings. 2012; International Rescue Committee.
66. United National Office of the High Commissioner for Human Rights. Investigating allegations of sexual exploitation and abuse: A toolkit for partners. 2021; Available at <https://interagencystandingcommittee.org/system/files/2021-12/Toolkit%20-%20INVESTIGATING%20ALLEGATIONS%20OF%20SEXUAL%20EXPLOITATION%20AND%20ABUSE%20IN%20HUMANITARIAN%20SETTINGS.pdf>; accessed on 8/20/22.
67. Ferro Ribeiro S, van der Straten Ponthoz D, UK Foreign & Commonwealth Office. International protocol on the documentation and investigation of sexual violence in conflict: Best practice on the documentation of sexual violence as a crime or violation of international law, 2nd edition 2017; London, UK.
68. Anderson J, Ellefson J, Lashley J, Miller A, Oliinger S, et al. The Cornerhouse forensic interview protocol: RATAAC. 2010; available at: https://www.cornerhousemn.org/images/CornerHouse_RATAAC_Protocol.pdf. Accessed on 5/29/17.
69. La Rooy D, Brubacher SP, Aromaki-Stratos A, Cyr M, Hershkowitz I, et al. The NICHD protocol: A review of an internationally-used evidence-based tool for training child forensic interviewers. *J Criminological Research, Policy & Practice*. 2016;2:76-89.
70. Ministry of Health & Family Welfare, Government of India. Guidelines & protocols: Medico-legal care for survivors/victims of sexual violence. 2014; Available at <https://main.mohfw.gov.in/sites/default/files/953522324.pdf>; accessed on Nov 9, 2020.
71. World Health Organization, United Nations Office on Drugs and Crime. Strengthening the medico-legal response to sexual violence. 2015; Available at <https://www.who.int/reproductivehealth/publications/violence/medico-legal-response/en/>. Accessed on 12/29/18.
72. International Association of Chiefs of Police. Cybercrime investigations. Available at <https://www.iacpcybercenter.org/officers/cyber-crime-investigations/>.
73. Petreska E, International Centre for Migration Policy Development, GIZ, MARRI. Improving the communication and coordination among the NRM actors in MARRI participants: Practical guidance. 2022; Available at <https://op.europa.eu/en/publication-detail/-/publication/d5542e9c-0e92-11eb-bc07-01aa75ed71a1/language-en>; accessed on Jul 6, 2023.
74. Miller AB, Hahn E, Norona CR, et al. A socio-culturally, linguistically-responsive, and trauma-informed approach to mental health interpretation. 2019; Los Angeles, CA, and Durham, NC: National Center for Child Traumatic Stress.
75. Monnat SM, Chandler RF. Long term physical health consequences of adverse childhood experiences. *Social Q*. 2015;56:723-752.
76. Konstantopoulos WM, Ahn R, Alpert EJ, et al. An international comparative public health analysis of sex trafficking of women and girls in eight cities: achieving a more effective health sector response. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*. 2013;90(6):1194-1204.
77. Maniglio R. The role of child sexual abuse in the etiology of substance-related disorders. *J Addict Dis*. 2011;30(3):216-228.
78. Maniglio R. The impact of child sexual abuse on health: A systematic review of reviews. *Clinical Psych Review*. 2009;29:647-657.
79. Nairobi: Population Council. Sexual and gender based violence in Africa: Key issues for programming 2008.

80. Kellogg N. The evaluation of sexual abuse in children. *Peds*. 2005;116:506-512.
81. Herrmann B, Banaschak S, Csorba R, Navratil F, Dettmeyer R. Physical Examination in Child Sexual Abuse: Approaches and Current Evidence. *Deutsches Arzteblatt international*. 2014;111(41):692-703.
82. World Health Organization. Technical report: W.H.O. guidelines for the health sector response to child maltreatment. 2019; Available at https://www.who.int/violence_injury_prevention/publications/violence/Technical-Report-WHO-Guidelines-for-the-health-sector-response-to-child-maltreatment-2.pdf; accessed on Nov 17, 2020.
83. Nairobi: Population Council. Sexual and gender based violence in Africa: Literature review 2008.
84. O'Keefe N, McElvaney N. Forensic medical examinations: The body as gateway to healing after child sexual abuse. *Child Abuse Review*. 2022;31(4):e2750.
85. Centers for Disease Control and Prevention, Walensky RP, Houry D, et al. Sexually transmitted infections treatment guidelines. *MMWR Rec and Reports*. 2021;70(4):1-187.
86. Greenbaum J, Crawford-Jakubiak J, Committee on Child Abuse and Neglect. Child sex trafficking and commercial sexual exploitation: Health care needs of victims. *Pediatrics*. 2015;135(3):566-574.
87. Ministry of Health & Family Welfare, Government of India. Guidelines and protocols: Medico-legal care for survivors/victims of sexual violence. 2014; Government of India.
88. Keles S, Friberg O, Idsoe T, Sirin S, Oppedal B. Resilience and acculturation among unaccompanied refugee minors. *International J Behavioral Development*. 2018;42(1):52-63.
89. Fritz J, de Graaff AM, Caisley H, van Harmelen A, Wilkinson PO, . A systematic review of amenable resilience factors that moderate and/or mediate the relationship between childhood adversity and mental health in young people. *Front Psychiatry* 2018;9:230-248.
90. National Child Traumatic Stress Network. Information on child trauma. Available at <https://www.nctsn.org/what-is-child-trauma/about-child-trauma>; Accessed on 5/29/17.
91. Benjet C, Borges G, Medina-Mora ME. Chronic childhood adversity and onset of psychopathology during three life stages: childhood, adolescence and adulthood. *J Psychiatr Res*. 2010;44(11):732-740.
92. National Child Traumatic Stress Network. Age-related reactions to a traumatic event. 2010; Available at https://www.nctsn.org/sites/default/files/resources//age_related_reactions_to_traumatic_events.pdf; accessed on 8/23/22.
93. Lamb ME, Orbach Y, Hershkowitz I, Esplin PW, Horowitz D. A structured forensic interview protocol improves the quality and informativeness of investigative interviews with children: a review of research using the NICHD Investigative Interview Protocol. *Child Abuse Negl*. 2007;31(11-12):1201-1231.
94. Department of Justice UK. Achieving best evidence in criminal proceedings: Guidance on interviewing victims and witnesses, the use of special measures, and the provision of pre-trial therapy. Available at <https://www.justice-nigovuk/publications/guide-achieving-best-evidence-practitioner-guide>; accessed on 8/22/22. 2012.
95. Odeljan R, Butorac K, Bailey A. Investigative interviews with children. *European Police Science and Research Bulletin*. 2015;Summer(12):18-24.
96. Faller KC, Cordisco-Steele L, Nelson-Gardell D. Allegations of sexual abuse of a child: What to do when a single forensic interview isn't enough. *J Child Sexual Abuse*. 2010;19(5):572-589.
97. UNICEF. Child protection systems strengthening approach, benchmarks, interventions. 2021; Available at <https://www.unicef.org/media/110876/file/Child%20Protection%20Systems%20Strengthening%20.pdf>; accessed on 8/24/22.
98. Rozo J, Rivera N. Construyendo entornos protectores de la niñez como estrategia de prevención de la explotación sexual comercial. 2019; Fundación Renacer and ECPAT Colombia.

99. National Child Traumatic Stress Network, Secondary Traumatic Stress Committee. Secondary traumatic stress: A factsheet for child-serving professionals. 2011; Los Angeles, CA, and Durham, NC: National Center for Child Traumatic Stress.
100. Greinacher A, Derezza-Greeven C, Herzog W, Nikendei C. Secondary traumatization in first responders: A systematic review. *European J Psychotraumatology*. 2019;10(<https://doi.org/10.1080/2008198.2018.1562840>).
101. Saakvitne KW, Pearlman LA, Traumatic Stress Inst. Ctr. for Adult & Adolescent Psychotherapy L. Transforming the pain: A workbook on vicarious traumatization. . 1996; W W Norton & Co.
102. Terlonge P, Jorgensen U, Save the Children. Psychological first aid training: Manual for child practitioners. 2013; Save the Children, Copenhagen.
103. Mathieu F. *The compassion fatigue workbook: Creative tools for transforming compassion fatigue and vicarious traumatization*. New York and London: Routledge; 2012.
104. Centers for Disease Control and Prevention. The social-ecological model: A framework for prevention. Available at <https://www.cdc.gov/violenceprevention/about/social-ecologicalmodel.html>; accessed on 3/17/22.
105. Greenbaum J, Kaplan D, Young J, AAP Council on Child Abuse and Neglect, Health ACoCaF. Clinical report: Exploitation, labor and sex trafficking of children and adolescents: Health care needs of patients. *Pediatrics* 2023;151(1):e2022060416.
106. Assink M, van der Put CE, Meeuwssen M, et al. Risk factors for child sexual abuse victimization: A meta-analytic review. *Psychol Bull*. 2019;145(5):459-489.
107. Acharya AK. Perspective of gender violence and trafficking of women in Mexico. *International J Humanities and Social Science*. 2011;1:42-49.
108. Dank M, Yahner J, Madden K, Banuelos I, Yu L, et al. Surviving the streets of New York: Experiences of LGBTQ youth, YMSM, YWSW engaged in survival sex. *Urban Institute*. 2015; Washington, D.C.
109. United States Department of State. 2020 Trafficking in persons report. 2021; Available at <https://www.state.gov/reports/2020-trafficking-in-persons-report/>; accessed on 4/30/21.
110. Davis J, Miles G. "They didn't help me; they shamed me." A baseline study on the vulnerabilities of street-involved boys to sexual exploitation in Manila, Philippines. *Love146*. 2015; Accessed at <https://1at4ct3uffpw1uzzmu191368-wpengine.netdna-ssl.com/wp-content/uploads/2016/01/They-Shamed-Me-.pdf> on Jun 4, 2016.
111. Stop It Now! Warning signs a young person may be a target of online sexual abuse. 2021; Available at <https://www.stopitnow.org/ohc-content/warning-signs-a-young-person-may-be-a-target-of-online-sexual-abuse>; accessed on 8/26/22.
112. Wells RD, McCann J, Adams J, Voris J, Ensign J. Emotional, behavioral, and physical symptoms reported by parents of sexually abused, nonabused, and allegedly abused prepubescent females. *Child Abuse Negl*. 1995;19(2):155-163.
113. Dank M, Yu L, Yahner J. Access to safety: Health outcomes, substance use and abuse, and service provision for LGBTQ youth, YMSM and YWSW who engage in survival sex. *Urban Institute*. 2016.
114. Lederer L, Wetzel C. The health consequences of sex trafficking and their implications for identifying victims in healthcare facilities. *Annals of Health Law*. 2014;23:61-91.
115. Wood LCN. Child modern slavery, trafficking and health: a practical review of factors contributing to children's vulnerability and the potential impacts of severe exploitation on health. *BMJ paediatrics open*. 2020;4(1):e000327.
116. Barnert E, Bath E, Heard-Garris N, et al. Commercial sexual exploitation during adolescence: A US based national study of adolescent to adult health. *PHR*. 2021.

117. Ertl S, Bokor B, Tuchman L, Miller E, Kappel R, Deye K. Healthcare needs and utilization patterns of sex-trafficked youth: Missed opportunities at a children's hospital. *Child: care, health and development*. 2020.
118. Adams J. Medical evaluation of suspected child sexual abuse: 2011 update. *J Child Sexual Abuse*. 2011;20:588-605.
119. Chiesa A, Goldson E. Child sexual abuse. *Peds in Review*. 2017;38:105-118.
120. Fehrenbacher AE, Musto J, Hoefinger H, et al. Transgender people and human trafficking: Intersectional exclusion of transgender migrants and people of color from anti-trafficking protection in the United States. *J Human Trafficking*. 2020;6:182-194.
121. Davis J, Miles G. "They chase us like dogs: Exploring the vulnerabilities of 'ladyboys' in the Cambodian sex trade. *Dignity*. 2018;3(2):Article 1; doi: 10.23860/dignity.22018.23803.23802.23801. Available at: <https://digitalcommons.uri.edu/cgi/viewcontent.cgi?referer=https://www.google.com/&httpsredir=23861&article=21088&context=dignity>. Accessed on Nov 23 2018, 2018.
122. Friedman MS, Marshal MP, Guadamuz TE, et al. A meta-analysis of disparities in childhood sexual abuse, parental physical abuse, and peer victimization among sexual minority and sexual nonminority individuals. *Am J Public Health*. 2011;101(8):1481-1494.
123. Greenbaum J, Albright K, Police IAOCo. Improving physical and mental health care for those at risk of, or experiencing human trafficking and exploitation: The complete toolkit, 2nd edition. 2022; Available at <https://www.icmec.org/healthportal-resources/>; accessed on Jul 1, 2023.
124. National Committee for Quality Assurance. A practical guide to implementing the national CLAS standards: For racial, ethnic and linguistic minorities, people with disabilities and sexual and gender minorities. 2016; Available at <https://www.cms.gov/About-CMS/Agency-Information/OMH/Downloads/CLAS-Toolkit-12-7-16.pdf>; accessed on Nov 29, 2020.
125. Reid JA. Sex Trafficking of Girls With Intellectual Disabilities: An Exploratory Mixed Methods Study. *Sexual abuse : a journal of research and treatment*. 2018;30(2):107-131.
126. Winters N, Langer L, Geniets A. Physical, psychological, sexual, and systemic abuse of children with disabilities in East Africa: Mapping the evidence. *PLoS One*. 2017;12(9):e0184541.
127. Sullivan PM, Knutson JF. Maltreatment and disabilities: a population-based epidemiological study. *Child Abuse Negl*. 2000;24(10):1257-1273.
128. Jones L, Bellis MA, Wood S, et al. Prevalence and risk of violence against children with disabilities: a systematic review and meta-analysis of observational studies. *Lancet*. 2012;380(9845):899-907.
129. Adjei JK, Saewyc EM. Boys are not exempt: Sexual exploitation of adolescents in sub-Saharan Africa. *Child Abuse Negl*. 2017;65:14-23.
130. Hounmenou C. An initial exploration of prostitution of boys in the West African region. *Child Abuse and Neglect*. 2017;69:188-200.
131. Josenhans V, Kavenagh M, Smith S, Wekerle C. Gender, rights and responsibilities: The need for a global analysis of the sexual exploitation of boys. *Child Abuse & Neglect*. 2020;110:104291.
132. Moynihan M, Mitchell K, Pitcher C, Havaek F, Ferguson M, Saewyc E. A systematic review of the state of the literature on sexually exploited boys internationally. *Child Abuse & Neglect* 2018;76:440-451.
133. Saewyc EM, Shankar S, Pearce LA, Smith A. Challenging the Stereotypes: Unexpected Features of Sexual Exploitation among Homeless and Street-Involved Boys in Western Canada. *International journal of environmental research and public health*. 2021;18(11): Available at <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8198715/>; accessed on 8198713/8198717/8198722.
134. Moss C, Smith SJ, Kim K, et al. A global systematic scoping review of literature on the sexual exploitation of boys. *Child Abuse Negl*. 2023;142(Pt 2):106244.

135. European Parliament, European Council. Directive of 2012/29/EU of the European parliament and of the council of 25 October 2012 establishing minimum standards on the rights, support and protection of victims of crime, and replacing Council Framework Decision 2001/220/JHA Available at <https://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2012:315:0057:0073:EN:PDF>; accessed on 8/1/22.
136. Council of Europe. Council of Europe convention on the protection of children against sexual exploitation and sexual abuse. 2012;Council of Europe Publishing.
137. 3rd World Congress Against Sexual Exploitation of Children and Adolescents. The Rio de Janeiro declaration and call for action to prevent and stop sexual exploitation of children and adolescents. 2008;Rio de Janeiro.
138. United Nations Committee on the Convention on the Rights of the Child. CRC/C/156: Guidelines regarding the implementation of the Optional Protocol to the Convention on the Rights of the Child on the sale of children, child prostitution and child pornography. 2019;Available at <https://www.ohchr.org/en/documents/legal-standards-and-guidelines/crcc156-guidelines-regarding-implementation-optional>; accessed on 8/28/22.
139. Out of the Shadows, Economist Impact. Out of the Shadows Index 2022. 2022;Available at <https://outoftheshadows.global/>.
140. Herbert JL, Bromfield L. Evidence for the Efficacy of the Child Advocacy Center Model: A Systematic Review. *Trauma Violence Abuse*. 2016;17(3):341-357.
141. Westphaln KK, Regoeczi W, Masotya M, et al. Outcomes and outputs affiliated with Children's Advocacy Centers in the United States: A scoping review. *Child Abuse Negl*. 2021;111:104828.
142. Cross TP, Jones LM, Walsh WA, Simone M, Kolko D. Child forensic interviewing in Children's Advocacy Centers: empirical data on a practice model. *Child Abuse Negl*. 2007;31(10):1031-1052.
143. Jaudes PK, Martone M. Interdisciplinary evaluations of alleged sexual abuse cases. *Pediatrics*. 1992;89(6 Pt 2):1164-1168.
144. Edinburgh L, Saewyc E, Levitt C. Caring for young adolescent sexual abuse victims in a hospital-based children's advocacy center. *Child Abuse Negl*. 2008;32(12):1119-1126.
145. Hurlburt MS, Leslie LK, Landsverk J, et al. Contextual predictors of mental health service use among children open to child welfare. *Arch Gen Psychiatry*. 2004;61(12):1217-1224.
146. Bai Y, Wells R, Hillemeier MM. Coordination between child welfare agencies and mental health service providers, children's service use, and outcomes. *Child Abuse Negl*. 2009;33(6):372-381.
147. Hubel GS, Campbell C, West T, et al. Child advocacy center based group treatment for child sexual abuse. *Journal of child sexual abuse*. 2014;23(3):304-325.
148. Goldbeck L, Laib-Koehnemund A, Fegert JM. A randomized controlled trial of consensus-based child abuse case management. *Child Abuse Negl*. 2007;31(9):919-933.
149. Chambers JE, Roscoe JN, Berrick JD, Lery B, Thompson D. Safely Increasing Connection to Community-Based Services: A Study of Multidisciplinary Team Decision Making for Child Welfare Referrals. *Child Maltreat*. 2022;27(3):434-443.
150. Smith DW, Witte TH, Fricker-Elhai AE. Service outcomes in physical and sexual abuse cases: a comparison of child advocacy center-based and standard services. *Child Maltreat*. 2006;11(4):354-360.
151. Jones LM, Cross TP, Walsh WA, Simone M. Do Children's Advocacy Centers improve families' experiences of child sexual abuse investigations? *Child Abuse Negl*. 2007;31(10):1069-1085.
152. Walsh WA, Cross TP, Jones LM, Simone M, Kolko DJ. Which sexual abuse victims receive a forensic medical examination? The impact of Children's Advocacy Centers. *Child Abuse Negl*. 2007;31(10):1053-1068.

